



















| Model | DS-2CE16D0T-ITPF | DS-2CE16D0T-EXIF | DS-2CE16D0T-ITFS | DS-2CE16D0T-ITFS |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP Fixed Mini Bullet Camera | 2 MP Fixed Mini Bullet Camera | 2 MP Audio Bullet Camera | 2 MP Audio Bullet Camera |
| Lens | 2.8 mm fixed lens | 2.8 mm, 3.6 mm fixed lens | 2.8 mm fixed lens | 3.6 mm fixed lens |
| Min.Illumination | 0.01 Lux | 0.02 Lux | 0.01 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° | Pan: 0° to 360°; Tilt: 0° to 90°; Rotate: 0° to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° |
| Day& Night | ICR | IR Cut Filter | ICR | ICR |
| WDR | Digital WDR | Digital WDR | Digital WDR | Digital WDR |
| Max. IR Range | Up to 25 m | Up to 20 m | Up to 30 m | Up to 30 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP66 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 10,430,000 | 10,890,000 | 17,620,000 | 17,410,000 |

| Model | DS-2CE16D0T-ITPFS | DS-2CE16D0T-ITF | DS-2CE17D0T-IT1F | DS-2CE17D0T-IT3F |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP Audio Fixed Mini Bullet Camera | 2 MP Audio Bullet Camera | 2 MP Bullet Camera | 2 MP Fixed Bullet Camera |
| Lens | 2.8 mm, 3.6 mm, 6 mm fixed lens | 3.6 mm fixed lens | 2.8 mm, 3.6 mm, 6 mm fixed lens | 2.8 mm fixed lens |
| Min.Illumination | 0.01 Lux | 0.01 Lux | 0.01 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° | Pan: 0° to 360°; Tilt: 0° to 180°; Rotate: 0° to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° |
| Day& Night | ICR | ICR | ICR | ICR |
| WDR | Digital WDR | Digital WDR | Digital WDR | Digital WDR |
| Max. IR Range | Up to 25 m | Up to 30 m | Up to 30 m | Up to 50 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP67 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 16,390,000 | 14,190,000 | 18,050,000 | 23,160,000 |





| Model | DS-2CE16D3T-IT3F | DS-2CE16D3T-ITF | DS-2CE10DF0T-F | DS-2CE10DF3T-F |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP Ultra Low Light Fixed Bullet Camera | 2 MP Ultra Low Light Fixed Mini Bullet Camera | 2 MP ColorVu Fixed Mini Bullet Camera | 2 MP ColorVu Fixed Mini Bullet Camera |
| Lens | 2.8 mm fixed lens | 2.8 mm, 3.6 mm and 6 mm | 3.6 mm fixed lens | 3.6 mm fixed lens |
| Min.Illumination | 0.005 lux | 0.005 lux | 0.001 Lux | 0.0005 Lux |
| Angle Adjustment | Pan: 0° to 360°, Tilt: 0° to 180°, Rotation: 0° to 360° | Pan: 0° to 360°, Tilt: 0° to 180°, Rotation: 0° to 360° | Pan: 0° to 360°, Tilt: 0° to 90°, Rotation: 0° to 360° | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° |
| Day& Night | IR cut filter | IR cut filter | 24/7 color imaging | 24/7 Color Imaging |
| WDR | ≥ 120 dB | ≥ 120 dB | Digital WDR | 130 dB |
| Max. IR Range | Up to 50 m | Up to 30 m | Up to 20 m | Up to 20 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS;1 HD analog output | Switchable TVI/AHD/CVI/CVBS;1 HD analog output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Color | Color |
| Protection Level | IP67 | IP67 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 22,240,000 | 21,660,000 | 27,310,000 | 27,940,000 |

| Model | DS-2CE12DF3T-F | DS-2CE10DF3T-FS | DS-2CE12DF3T-FS | DS-2CE76D0T-ITMF |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP ColorVu Fixed Bullet Camera | 2 MP ColorVu Audio Fixed Mini Bullet Camera | 2 MP ColorVu Audio Fixed Bullet Camera | 2 MP Fixed Turret Camera |
| Lens | 3.6 mm fixed lens | 2.8 mm fixed lens | 2.8 mm fixed lens | 2.8 mm fixed lens |
| Min.Illumination | 0.0005 Lux | 0.0005 Lux | 0.0005 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° |
| Day& Night | 24/7 Color Imaging | 24/7 Color Imaging | 24/7 Color Imaging | ICR |
| WDR | 130 dB | 130 dB | 130 dB | Digital WDR |
| Max. IR Range | Up to 40 m | Up to 20 m | Up to 40 m | Up to 30 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Color | Color | Color | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP67 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 33,470,000 | 29,980,000 | 38,330,000 | 16,440,000 |





| Model | DS-2CE76D0T-EXIPF | DS-2CE76D0T-ITPF | DS-2CE76D0T-ITMFS | DS-2CE76D3T-ITPF |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP Indoor Fixed Turret Camera | 2 MP Indoor Fixed Turret Camera | 2 MP Audio Turret Camera | 2 MP Turret Camera |
| Lens | 2.8 mm fixed lens | 2.8 mm fixed lens | 2.8 mm fixed focal lens | 2.8 mm, 3.6 mm, 6 mm |
| Min.Illumination | 0.02 Lux | 0.01 Lux | 0.01 Lux | 0.005 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° | Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360° |
| Day& Night | IR Cut Filter | ICR | ICR | Ultra low light |
| WDR | Digital WDR | Digital WDR | Digital WDR | ≥ 120 dB |
| Max. IR Range | Up to 20 m | Up to 20 m | Up to 30 m | Up to 30 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | – | – | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 13,390,000 | 12,320,000 | 18,810,000 | 17,420,000 |





| Model | DS-2CE76D3T-ITMF | DS-2CE70DF3T-PF | DS-2CE72DF3T-F | DS-2CE16H0T-ITPF |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP Ultra Low Light Fixed Turret Camera | 2 MP ColorVu Fixed Turret Camera | 2 MP ColorVu Fixed Turret Camera | 5 MP Fixed Bullet Camera |
| Lens | 2.8 mm fixed lens | 3.6 mm fixed lens | 3.6 mm fixed lens | 2.8 mm fixed lens |
| Min.Illumination | 0.005 Lux | 0.0005 Lux | 0.0005 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° | Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355° |
| Day& Night | IR Cut Filter | 24/7 Color Imaging | 24/7 Color Imaging | ICR |
| WDR | 120 dB | 130 dB | 130 dB | Digital WDR |
| Max. IR Range | Up to 30 m | Up to 20 m | Up to 40 m | Up to 20 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Color | Color | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | – | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 23,840,000 | 25,630,000 | 26,680,000 | 17,740,000 |

| Model | DS-2CE78D0T-IT3FS | DS-2CE16H0T-ITF | DS-2CE16H0T-ITPFS | DS-2CE16H0T-ITPFS |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 2 MP Audio Fixed Turret Camera | 5 MP Fixed Mini Bullet Camera | 5 MP Fixed Bullet Camera | 5 MP Fixed Bullet Camera |
| Lens | 2.8 mm, 3.6 mm | 3.6 mm fixed lens | 3.6 mm fixed lens | 2.8 mm fixed lens |
| Min.Illumination | 0.01 Lux | 0.01 Lux | 0.01 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° | Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355° | Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355° |
| Day& Night | ICR | ICR | ICR | ICR |
| WDR | Digital WDR | DWDR | Digital WDR | Digital WDR |
| Max. IR Range | Up to 40 m | Up to 20 m | Up to 25 m | Up to 25 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP67 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 23,840,000 | 18,010,000 | 21,090,000 | 21,090,000 |

| Model | DS-2CE16H0T-ITFS | DS-2CE17H0T-IT1F | DS-2CE17H0T-IT3F | DS-2CE17H0T-IT3F |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 5 MP Fixed Bullet Camera | 5 MP Fixed Bullet Camera | 5 MP Fixed Bullet Camera | 5 MP Fixed Bullet Camera |
| Lens | 2.8 mm, 3.6 mm, 6 mm fixed lens | 2.8 mm fixed focal lens | 2.8 mm fixed focal lens | 3.6 mm fixed focal lens |
| Min.Illumination | 0.01 Lux | 0.01 Lux | 0.01 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360° |
| Day& Night | ICR | IR Cut Filter | ICR | ICR |
| WDR | DWDR | DWDR | DWDR | DWDR |
| Max. IR Range | Up to 30 m IR distance | Up to 30 m IR distance | Up to 40 m IR distance | Up to 40 m IR distance |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS video output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP67 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 23,050,000 | 23,230,000 | 24,100,000 | 24,100,000 |




| Model | DS-2CE17H0T-IT3FS | DS-2CE17H0T-IT5F | DS-2CE10HFT-F (3.6mm) | DS-2CE72HFT-F28 |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 5 MP Fixed Bullet Camera | 5 MP Fixed Turret Camera | 5 MP ColorVu Fixed Mini Bullet Camera | 5 MP ColorVu Fixed Turret Camera |
| Lens | 2.8 mm | 3.6 mm fixed lens | 3.6 mm fixed lens | 2.8 mm fixed lens |
| Min.Illumination | 0.01 Lux | 0.01 Lux | 0.0005 Lux | 0.0005 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360° |
| Day& Night | IR Cut Filter | ICR | 24/7 Color Imaging | Color |
| WDR | DWDR | Digital WDR | 130 dB | 130 dB |
| Max. IR Range | Up to 40 m IR distance | Up to 80 m | Up to 20 m | Up to 30 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Color | Color |
| Protection Level | IP67 | IP67 | IP67 | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 29,790,000 | 24,460,000 | 34,810,000 | 40,160,000 |

| Model | DS-2CE78H0T-IT1F | DS-2CE78H0T-IT3FS | DS-2CE76H0T-ITPF | DS-2CE76H0T-ITMF |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 5 MP Fixed Turret Camera | 5 MP Audio Fixed Turret Camera | 5 MP Audio Fixed Turret Camera | 5 MP Fixed Turret Camera |
| Lens | 2.4 mm fixed lens | 3.6 mm fixed lens | 2.4 fixed focal lens | 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed lens |
| Min.Illumination | 0.01 Lux | 0.01 Lux | 0.01 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360° | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360° |
| Day& Night | ICR | ICR | ICR | ICR |
| WDR | Digital WDR | Digital WDR | Digital WDR | Digital WDR |
| Max. IR Range | Up to 30 m | Up to 40 m | Up to 20 m | Up to 30 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes | Yes | Yes |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP67 | - | IP67 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 23,860,000 | 25,440,000 | 17,410,000 | 21,440,000 |



| Model | DS-2CE76H0T-ITMFS | DS-2CE78U8T-IT3 | DS-2CE72KF0T-FS | DS-2CE56D0T-VFIR3F |
|------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 5 MP Audio Fixed Turret Camera | 8 MP Turret Camera | 3K ColorVu Audio Fixed Turret Camera | 2 MP Turret Camera |
| Lens | 2.8 mm, 3.6 mm, 6 mm fixed focal lens | 2.8 mm, 3.6 mm, 6 mm fixed focal lens | 2.8 mm fixed lens | 2.8 mm to 12 mm vari-focal lens |
| Min.Illumination | 0.01 Lux | 0.003 Lux | 0.001 Lux | 0.01 Lux |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360° | Pan: 0°to 360°, Tilt: 0°to 75°, Rotate: 0°to 360° | Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360° | Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360° |
| Day& Night | ICR | IR cut filter | 24/7 Color Imaging | IR cut filter |
| WDR | Digital WDR | 120 Db | Digital WDR | Digital WDR |
| Max. IR Range | Up to 30 m | Up to 60 m | Up to 40 m | Up to 40 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | 1 HD analog output | Switchable TVI/AHD/CVI/CVBS | 1 analog HD output (TVI only) |
| BLC | Yes | Yes | Yes | - |
| Day/Night Mode | Auto/Color/BW (Black and White) | Auto/Color/BW (Black and White) | Color | Smart/color/BW(Black and White) |
| Protection Level | IP67 | IP67 | IP67 | IP66 |
| Power | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 24,290,000 | 63,870,000 | 37,400,000 | 32,240,000 |

| Model | DS-2CE79H0T-IT3ZF | DS-2AE4225TI-D |
|------------------|---|--|
| Picture |  |  |
| Description | 5 MP Motorized Turret Camera | 4-inch 2 MP Analog Speed Dome |
| Lens | 2.7 mm to 13.5 mm motorized lens | 4.8 mm to 120 mm, 25 × optical |
| Min.Illumination | 0.01 Lux | 0.005 Lux |
| Angle Adjustment | Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360° | 360° endless |
| Day& Night | IR cut filter | IR cut filter |
| WDR | Digital WDR | ≥ 120 dB |
| Max. IR Range | Up to 40 m | Up to 100 m |
| HD Video Output | Switchable TVI/AHD/CVI/CVBS | Switchable TVI/AHD/CVI/CVBS |
| BLC | Yes | Yes |
| Day/Night Mode | Smart/color/BW(Black and White) | Auto/Color/BW (Black and White) |
| Protection Level | IP67 | IP66 |
| Power | 12 VDC | 12 VDC |
| Price | 45,780,000 | 180,520,000 |

| Model | DS-7204HUHI-K1 | DS-7204HUHI-K1/P | iDS-7204HUHI-M1/S | iDS-7204HQHI-M1/S |
|---------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 4-ch 5 MP 1U H.265 DVR | 4-ch 5 MP 1U H.265 PoC DVR | 4-ch 5 MP 1U H.265 AcuSense DVR | 4-ch 1080p 1U H.265 AcuSense DVR |
| Analog Video Input | 4-ch | 4-ch | 4-ch | 4-ch |
| IP Video Input | 4-ch (up to 8-ch) | 4-ch (up to 8-ch) | 2-ch (up to 6-ch) | 1-ch (up to 5-ch) |
| Video Compression | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 |
| Encoding Resolution | 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF | 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF | 8 MP@8 fps/5 MP@12 fps/4 MP@15 fps/8 MP Lite@15 fps/3 MP@18 fps | 4 MP lite/3 MP@15 fps; 1080p lite/720p lite/VGA/WD1/4CIF/CIF |
| HDMI Output | 1-ch, ,2K (2560 × 1440)/60Hz | 1-ch, ,2K (2560 × 1440)/60Hz | 1-ch, 2K (2560 × 1440)/60Hz | 1-ch, 1920 × 1080/60Hz |
| Network Interface | 1, RJ45 10/100 Mbps | 1, RJ45 10/100 Mbps | 1, RJ45 10M/100 Mbps | 1, RJ45 10M/100 Mbps |
| SATA | 1 SATA interface | 1 SATA interface | 1 SATA interface | 1 SATA interface |
| Capacity | Up to 10 TB | Up to 10 TB | Up to 10 TB | Up to 10 TB |
| USB Interface | 2 × USB 2.0 | 2 × USB 2.0 | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 2.0 | 2 × USB 2.0 |
| Alarm In/Out | 4/1 | 4/1 | N/A | N/A |
| Power Supply | 12 VDC | 48 VDC | 12 VDC | 12 VDC |
| Price | 67,720,000 | 67,470,000 | 69,210,000 | 46,520,000 |

| Model | DS-7208HQHI-K1 | IDS-7208HUHI-M1/S | iDS-7208HTHI-M2/S | DS-7216HQHI-K1 |
|---------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 8-ch 1080p 1U H.265 DVR | 8-ch 5 MP 1U H.265 AcuSense DVR | 8-ch 4K 1U H.265 AcuSense DVR | 16-ch 1080p 1U H.265 DVR |
| Analog Video Input | 8-ch | 8-ch | 8-ch | 16-ch |
| IP Video Input | 4-ch (up to 12-ch) | 4-ch (up to 12-ch) | 8-ch (up to 16-ch) | 8-ch (up to 24-ch) |
| Video Compression | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 |
| Encoding Resolution | 4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF | 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF /VGA/,CIF, | 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF /VGA/,CIF, | 4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF |
| HDMI Output | 1-ch, 1920 × 1080/60Hz | 1-ch, 4K | 1-ch, 4K | 1-ch, ,4K (3840 × 2160)/30Hz |
| Network Interface | 1, RJ45 10M/100 Mbps | 1, RJ45 10M/100/1000 Mbps | 1, RJ45 10M/100/1000 Mbps | 1, RJ45 10M/100M/1000 Mbps |
| SATA | 1 SATA interface | 1 SATA interface | 2 SATA interface | 1 SATA interface |
| Capacity | Up to 10 TB | Up to 10 TB | Up to 10 TB | Up to 10 TB |
| USB Interface | 2 × USB 2.0 | 1 × USB 2.0 ; 1 × USB 3.0 | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 2.0 | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0 |
| Alarm In/Out | N/A | N/A | N/A (optional to support) | N/A |
| Power Supply | 12 VDC | 12 VDC | 12 VDC, 3.33 A | 12 VDC |
| Price | 63,540,000 | 124,630,000 | 179,190,000 | 121,800,000 |

| Model | DS-7216HGHI-K1 | IDS-7216HUHI-M2/S | DS-7216HUHI-K2 | iDS-7216HQHI-M2/S |
|---------------------|---|--|---|---|
| Picture |  |  |  |  |
| Description | 16-ch 1080p Lite 1U H.265 DVR | 16-ch 5 MP 1U H.265 AcuSense DVR | 16-ch 5 MP 1U H.265 DVR | 16-ch 1080p 1U H.265 AcuSense DVR |
| Analog Video Input | 16-ch | 16-ch | 16-ch | 16-ch |
| IP Video Input | 2-ch (up to 18-ch) | 8-ch (up to 24-ch) | 16-ch (up to 32-ch) | 2-ch (up to 18-ch) |
| Video Compression | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 | H.265 pro+ |
| Encoding Resolution | 1080p Lite/720p Lite/WD1/4CIF/VGA/CIF | 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF | 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF | 3K lite/5 MP lite/4 MP lite/1080p/720p/VGA/WD1/4CIF/CIF |
| HDMI Output | 1-ch, 1920 × 1080/60Hz | 1-ch, 4K (3840 × 2160)/30Hz | 1-ch, 4K (3840 × 2160)/30Hz | 1-ch, 4K (3840 × 2160)/30Hz |
| Network Interface | 1, RJ45 10M/100M Mbps | 1, RJ45 10M/100M/1000 Mbps | 1, RJ45 10M/100M/1000 Mbps | 1, RJ45 10M/100M/1000 Mbps |
| SATA | 1 SATA interface | 2 SATA interface | 2 SATA interface | 2 SATA interface |
| Capacity | Up to 10 TB | Up to 10 TB | Up to 10 TB | Up to 10 TB |
| USB Interface | Rear panel: 2 × USB 2.0 | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0 | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0 | 1 × USB 2.0 ; 1 × USB 3.0 |
| Alarm In/Out | N/A | 16/4 | 16/4 | N/A |
| Power Supply | 12 VDC | 12 VDC | 12 VDC | 12 VDC |
| Price | 52,070,000 | 231,490,000 | 218,730,000 | 154,400,000 |

| Model | DS-7232HQHI-K2 | iDS-7232HQHI-M2/S |
|---------------------|---|--|
| Picture |  |  |
| Description | 16-ch 4K 1U H.265 AcuSense DVR | 32-ch 1080p 1U H.265 AcuSense DVR |
| Analog Video Input | 32-ch | 32-ch |
| IP Video Input | 2-ch (up to 34-ch) | 2-ch (up to 34-ch) |
| Video Compression | H.265 pro+ | H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 |
| Encoding Resolution | 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF | 4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF |
| HDMI Output | 1-ch, 4K (3840 × 2160)/30Hz | 1-ch, 4K (3840 × 2160)/30Hz |
| Network Interface | 1, RJ45 10M/100M/1000 Mbps | 1, RJ45 10M/100M/1000 Mbps |
| SATA | 2 SATA interface | 2 SATA interface |
| Capacity | Up to 10 TB | Up to 10 TB |
| USB Interface | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0 | Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0 |
| Alarm In/Out | N/A | N/A |
| Power Supply | 12 VDC, 4.5 A | 12 VDC, 5 A |
| Price | 267,320,000 | 221,670,000 |