



لیست قیمت محصولات هایک ویژن

HIKVISION




گارانتی پارس ارتباط و هایکا سرویس





021-91006008





WWW.ATINEH.COM





آدرس دفتر مرکزی: تهران، خیابان بهشتی،
خیابان احمد قصیر، کوچه ششم غربی،





پلاک ۱، واحد ۱۶

Model	DS-2CD2027G2-L	DS-2CD2021G1-I	DS-2CD2023G2-I	DS-2CD2025FHWD-I
Picture				
Technology	2 MP ColorVu Network Camera	2 MP Mini Bullet Network Camera	2 MP Network Camera	2 MP High Frame Rate Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Bullet	Fixed Mini Bullet
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Min. Illumination	0.0005 Lux	Color: 0.005 Lux	0.005 Lux	0.005 Lux
IR Distance	up to 40 m	Up to 30 m	Up to 40 m	Up to 30 m
Lens	2.8mm Fixed focal lens	2.8 mm	2.8 mm	2.8 mm
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	1920 × 1080	1920 × 1080	1920 × 1080	1920 × 1080
Day/Night	White light	IR cut filter	IR Cut Filter	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	120dB	Digital WDR	120dB	120dB
Price	71,040,000	49,980,000	61,240,000	70,060,000
Link				



Model	DS-2CD2126G2-ISU	DS-2CD2123G2-IU	DS-2CD2327G2-L	DS-2CD2347G2-L
Picture				
Technology	2 MP AcuSense Network Camera	2 MP Built-in Mic Network Camera	2 MP ColorVu Network Camera	4 MP ColorVu Turret Network Camera
Camera Type	Fixed Dome	Fixed Dome	Fixed Turret	Fixed Turret
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Min. Illumination	0.002 Lux	0.005 Lux	Color: 0.0005 Lux	Color: 0.0005 Lux
IR Distance	Up to 30 m	Up to 30 m	up to 30 m	Up to 30 m
Lens	2.8 mm	2.8/4 mm	2.8mm Fixed focal lens	2.8 mm
Video Compression	H.265+	H.265+	H.265+	H.265/H.264/H.264+/H.265+/MJPEG
Max. Resolution	1920 × 1080	1920 × 1080	1920 × 1080	2688 × 1520
Day/Night	IR Cut Filter	IR Cut Filter	White light	IR cut filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12VDC PoE
Protection	IK10, IP67	IK10, IP67	IP67	IP67
WDR	120dB	120 dB	120dB	130 dB
Price	81,540,000	62,810,000	81,110,000	78,910,000

Model	DS-2CD2043G2-I	DS-2CD2043G2-IU	DS-2CD2046G2-I	DS-2CD2T43G2-2I
Picture				
Technology	4 MP WDR Network Camera	4 MP AcuSense Network Camera	4 MP AcuSense Network Camera	4 MP WDR Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Min. Illumination	Color: 0.005 Lux	Color: 0.005 Lux	Color: 0.003 Lux	Color: 0.005 Lux
IR Distance	up to 40 m	up to 40 m	up to 40 m	up to 60 m
Lens	2.8,4 mm Fixed focal lens	2.8 Fixed focal lens	2.8 Fixed focal lens	2.8, 4 mm Fixed focal lens
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	2688 × 1520	2688 × 1520	2688 × 1520	2688 × 1520
Day/Night	IR cut filter	ICR Cut	ICR Cut	ICR Cut
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	120dB	120dB	120dB	120dB
Price	66,560,000	79,110,000	72,370,000	66,970,000

Model	DS-2CD2T43G2-4I	DS-2CD1143G0-IUF	DS-2CD2346G2-IU	DS-2CD2147G2
Picture				
Technology	4 MP WDR Network Camera	4MP Build-in Mic Network Camera	4 MP AcuSenseNetwork Camera	4 MP ColorVu Network Camera
Camera Type	Fixed Bullet	Fixed Dome	Fixed Turret	Fixed Dome
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" progressive scan CMOS	1/1.8" Progressive Scan CMOS
Min. Illumination	Color: 0.005 Lux	0.01 Lux	Color: 0.003 Lux	Color: 0.0005 Lux
IR Distance	up to 80 m	Up to 30 m	Up to 30 m	up to 30 m
Lens	2.8, 4 mm Fixed focal lens	2.8 mm	2.8 mm,4 mm	2.8 Fixed focal lens
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	2688 × 1520	2560 × 1440	2688 × 1520	2688 × 1520
Day/Night	ICR Cut	IR cut filter	IR cut filter	ICR Cut
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67 , IK10
WDR	120dB	120 dB	120 Db	130dB
Price	72,380,000	45,440,000	76,820,000	86,980,000


Model	DS-2CD1347G0-L	DS-2CD1357G0-L	DS-2CD1153G0-I	DS-2CD2063G2-I
Picture				
Technology	4 MP ColorVu Network Camera	5 MP ColorVu Network Camera	5 MP Network Camera	6 MP AcuSense Network Camera
Camera Type	Fixed Turret	Fixed Turret	Fixed Dome	Fixed Bullet
Image Sensor	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" progressive scan CMOS	1/2.4" Progressive Scan CMOS
Min. Illumination	Color: 0.001 Lux	0.001 Lux	color: 0.01Lux	Color: 0.005 Lux
IR Distance	Up to 30 m	Up to 30 m	up to 30 m	Up to 40 m
Lens	2.8 mm	2.8/4 mm	2.8, 4 mm Fixed focal lens	2.8 mm
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	2560 × 1440	2560 × 1920	2560 × 1920	3200 × 1800
Day/Night	24/7 colorful imaging	24/7 colorful imaging	IR Cut Filter	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC ± 25%	12 VDC PoE
Protection	IP67	IP67	IK10, IP67	IP67
WDR	120 dB	120dB	120 dB WDR	120dB
Price	81,650,000	58,790,000	54,540,000	73,050,000

Model	DS-2CD2T63G2-4I	DS-2CD2T66G2-4I	DS-2CD2066G2-I	DS-2CD2T83G2-4I
Picture				
Technology	6 MP AcuSense Network Camera	6 MP AcuSense Network Camera	6 MP AcuSense Network Camera	8 MP AcuSense Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Min. Illumination	color: 0.005 Lux	Color: 0.003 Lux	Color: 0.005 Lux	color: 0.005 Lux
IR Distance	Up to 80 m	Up to 80 m	Up to 40 m	Up to 80 m
Lens	4 mm	2.8/4 mm	2.8/4 mm	4 mm
Video Compression	H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+
Max. Resolution	3200 × 1800	3200 × 1800	3200 × 1800	3840 × 2160
Day/Night	IR Cut Filter	IR cut filter	IR cut filter	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	120dB	120 dB	120 dB	120dB
Price	82,330,000	94,210,000	80,220,000	96,120,000

Model	DS-2CD2T87G2-L	DS-2CD2T85G1-I8	DS-2CD2086G2-I	DS-2CD2085G1-I
Picture				
Technology	4K ColorVu Network Camera	4K DarkFighter Network Camera	4K AcuSense Network Camera	4K DarkFighter Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Bullet	Fixed Mini Bullet
Image Sensor	1/1.2" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS
Min. Illumination	color: 0.0005 Lux	color: 0.008 Lux	Color: 0.003 Lux	Color: 0.008 Lux
IR Distance	Up to 60 m	Up to 80 m	Up to 40 m	Up to 30 m
Lens	2.8 mm	2.8/4/6 mm	2.8/4 mm	2.8/4/6 mm
Video Compression	H.265+	H.265+	H.265+	H.265+/H.265/H.264+/H.264
Max. Resolution	3840 × 2160	3840 × 2160	3840 × 2160	3840 × 2160
Day/Night	24/7 colorful imaging	IR Cut Filter	IR cut filter	IR cut filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC ± 25%	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	130dB	120dB	120 dB	120 dB
Price	200,680,000	134,730,000	101,040,000	117,160,000

Model	DS-2CD2T86G2-4I	DS-2CD2T85G1-I5	DS-2CD2185FWD-I	DS-2CD2H25FWD-IZS
Picture				
Technology	4K AcuSense Network Camera	4K DarkFighter Network Camera	4K Network Camera	2 MP DarkFighter Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Dome	Motorized Turret
Image Sensor	1/1.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Min. Illumination	Color: 0.003 Lux	Color: 0.008 Lux	Color: 0.01 Lux	0.005 Lux
IR Distance	Up to 80 m	Up to 50 m	Up to 30 m	Up to 30 m
Lens	2.8/4 mm	2.8/4/6 mm	2.8/4/6/8/12 mm	2.8 to 12 mm, Motorized
Video Compression	H.265+	H.265+	H.265+/H.265/H.264+/H.264	H.265+
Max. Resolution	3840 × 2160	3840 × 2160	3840 × 2160	1920 × 1080
Day/Night	IR cut filter	IR cut filter	IR cut filter	IR cut filter
Power Supply	12 VDC ± 25%	12 VDC ± 25%	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IK10, IP67	IP66, IK10
WDR	120 dB	120 dB	120 dB	120dB
Price	120,150,000	104,260,000	108,460,000	138,870,000





Model	DS-2CD1643G0-IZ	DS-2CD2443G0-IW	DS-2SE4C225MWG-E	DS-2SE4C425MWG-E
Picture				
Technology	4 MP Network Camera	4 MP Indoor WDR Network Camera	TandemVu 4-inch 2 MP 25X Colorful	TandemVu 4-inch 4 MP 25X Colorful
Camera Type	Motorized Bullet	Fixed Cube	Network Speed Dome	Network Speed Dome
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	[Bullet channel]: 1/2.8" Progressive Scan CMOS; [PTZ channel]: 1/2.8" progressive scan CMOS	[Bullet channel]: 1/3" Progressive Scan CMOS; [PTZ channel]: 1/2.8" progressive scan CMOS
Min. Illumination	0.005 Lux	Color: 0.01Lux	[Bullet channel]: 0.0005 Lux [PTZ channel]: Color: 0.005 Lux	[Bullet channel]: 0.0005 Lux [PTZ channel]: Color: 0.005 Lux
IR Distance	Up to 50 m	10 m	[PTZ channel]: up to 100 m; [Bullet channel]: up to 30 m	[PTZ channel]: up to 100 m; [Bullet channel]: up to 30 m
Lens	2.8 to 12 mm	2.8/4 mm	[Bullet channel]: 2.8 mm; [PTZ channel]: 4.8 to 120 mm, 25 × optical	[Bullet channel]: 2.8 mm; [PTZ channel]: 4.8 to 120 mm, 25 × optical
Video Compression	H.265+	H.265+	H.265;H.264;MJPEG	H.265;H.264;MJPEG
Max. Resolution	2560 × 1440	2688 × 1520	1920 × 1080	2560 × 1440
Day/Night	IR Cut Filter	IR cut filter	ICR	ICR
Power Supply	12 VDC PoE	12 VDC PoE	12VDC, PoE+	12VDC, PoE+
Protection	IP67	—	IP66	IP66
WDR	120dB	120 dB WDR	120 dB WDR	120 dB WDR
Price	75,030,000	62,470,000	288,340,000	329,000,000





Model	DS-2DE4425IW-DE-T5
Picture	
Technology	4-inch 4 MP 25X DarkFighter IR Network
Camera Type	Speed Dome
Image Sensor	1/2.8" Progressive Scan CMOS
Min. Illumination	0.005 Lux
IR Distance	100 m
Lens	4.8 mm to 120 mm
Video Compression	H.265+
Max. Resolution	2560 × 1440
Day/Night	IR cut filter
Power Supply	12 VDC PoE
Protection	IP66
WDR	120 dB WDR
Price	252,150,000



☎ ۰۲۱-۹۱۰۰۶۰۰۸

www.atineh.com 🌐

📍 تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16

Model	DS-7604NI-K1	DS-7604NI-K1/4P	DS-7616NI-Q1	DS-7616NI-Q2
Picture				
Description	4-ch 1U 4K NVR	4-ch 1U 4 PoE 4K NVR	16-ch 1U 4K NVR	16-ch 1U 4K NVR
Decoding Format	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+,H.265,H.264+,H.264,MPEG4	H.265+/H.265/H.264+/H.264
IP Video Input	4-ch	4-ch	16-ch	16-ch
Bandwidth	40 Mbps 80 Mbps	40 Mbps 80 Mbps	160 Mbps 80 Mbps	160 Mbps 80 Mbps
Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
HDMI Output	4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz	1-ch, 4K (4096 × 2160)/30 Hz
Network Interface	1, RJ-45 10/100/1000 Mbps	1, RJ-45 10/100 Mbps	1, RJ-45 10/100/1000 Mbps	1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface
SATA	1 SATA interface	1 SATA interface	1 SATA interface	2 SATA interface
Capacity	Up to 6TB	Up to 8TB	Up to 8TB	Up to 8TB
USB Interface	2 × USB 2.0	2 × USB 2.0	2 × USB 2.0	2 × USB 2.0
Alarm In/Out	N/A	N/A (4/1 is optional)	N/A (4/1 is optional)	N/A (4/1 is optional)
Power Supply	12 VDC	48 VDC, 1.35 A	12 VDC	12 VDC, 3.33 A
Price	53,520,000	82,740,000	79,820,000	89,810,000

Model	DS-7616NXI-K2	DS-7616NXI-K2/16P	DS-7716NXI-K4	DS-7732NXI-K4
Picture				
Description	16-ch 1U K Series AcuSense 4K NVR	16-ch PoE 1U K Series AcuSense 4K NVR	16-ch 1.5U K Series AcuSense 4K NVR	32-ch 1.5U K Series AcuSense 4K NVR
Decoding Format	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
IP Video Input	16-ch	16-ch	16-ch	32-ch
Bandwidth	160 Mbps 160 Mbps	160 Mbps 160 Mbps	160 Mbps 160 Mbps	256 Mbps 160 Mbps
Recording Resolution	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/ 720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/ 720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/ 720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/ 720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF
HDMI Output	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz
Network Interface	1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface	16, RJ-45 10/100 Mbps self-adaptive Ethernet interface	2, RJ-45 10/100 Mbps self-adaptive Ethernet interface	2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface
SATA	2 SATA interface	2 SATA interface	4 SATA interface	4 SATA interface
Capacity	Up to 10TB	Up to 10TB	Up to 10TB	Up to 10TB
USB Interface	Front panel: 1 × USB 2.0; Rear panel: 1 × USB 2.0	Front panel: 2 × USB 2.0; Rear panel: 1 × USB 2.0	Front panel: 2 × USB 2.0 Rear panel: 1 × USB 3.0	Front panel: 2 × USB 2.0; Rear panel: 1 × USB 3.0
Alarm In/Out	4/1	4/1	16/4 (16/9 is optional)	16/4 (16/9 is optional)
Power Supply	13 VDC, 3.33 A	100 to 240 VAC	100 to 240 VAC	100 to 240 VAC
Price	94,280,000	189,970,000	192,660,000	231,100,000

Model	DS-7732NI-K4/16P	IDS-9632NXI-I8/4F
Picture		
Description	32-ch 1.5U 4K NVR	32-ch 2U 4K DeepinMind NVR
Decoding Format	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
IP Video Input	32-ch	32-ch
Bandwidth	256 Mbps 160 Mbps	320 Mbps 256 Mbps
Recording Resolution	12MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF
HDMI Output	4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz
Network Interface	16, RJ-45 10/100 Mbps self-adaptive Ethernet interface	2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface
SATA	4 SATA interface	8 SATA interface
Capacity	Up to 10TB	Up to 10TB
USB Interface	Front panel: 2 × USB 2.0 Rear panel: 1 × USB 3.0	Front panel: 2 × USB 2.0 Rear panel: 1 × USB 3.0
Alarm In/Out	16/4 (16/8 is optional)	16/4 (16/8 is optional)
Power Supply	100 to 240 VAC	100 to 240 VAC
Price	334,310,000	3,213,890,000