



لیست قیمت محصولات کلارنت

# Clarent

🌐 [www.atineh.com](http://www.atineh.com) ☎ 021-91006008

آدرس دفتر مرکزی : تهران، خیابان بهشتی، خیابان

احمد قصیر، کوچه ششم غربی، پلاک 1، واحد 16



### IP CAMERA



#### CIP-SB65300GP-WAF-NF

Price : 20.500.000

1/3" 5.0Megapixel Starlight CMOS Image Sensor  
H265/H264 Encoding - Dual Stream  
3.6mm F1.6 Starlight Advance Fixed lens  
Main Stream 5MP (2880 \* 1620) @ 20fps / 4MP @ 25fps  
Built in **Microphone**  
Digital WDR, 3DNR, HLC, BLC  
30m Warmlight, 3 EXIR LED  
Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)  
Private Protocol With Z Series XVR  
Human Body Detection  
IP67 Metal Case, 12VDC, **Smart PoE**  
Fara View Mobile Monitoring, VMS Monitoring



### IP CAMERA



#### CIP-LB65500TP-WAF-NF

Price : 23.850.000

1/3" 5.0Megapixel Starlight CMOS Image Sensor  
H265/H264 Encoding - Dual Stream  
3.6mm F1.6 Starlight Advance Fixed lens  
Main Stream 5MP (2880 \* 1620) @ 20fps / 4MP @ 25fps  
Built in **Microphone**  
Digital WDR, 3DNR, HLC, BLC  
50m Warmlight, 4 EXIR Power LED  
Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)  
Private Protocol With Z Series XVR  
Human Body Detection  
IP67 Metal Case, 12VDC, **Smart PoE**  
Fara View Mobile Monitoring, VMS Monitoring



### IP CAMERA



#### CIP-MD65300EP-WAF-NF

Price : 21.650.000

1/3" 5.0Megapixel Starlight CMOS Image Sensor  
H265/H264 Encoding - Dual Stream  
2.8mm F1.6 Starlight Advance Fixed lens  
Main Stream 5MP (2880 \* 1620) @ 20fps / 4MP @ 25fps  
Built in **Microphone**  
Digital WDR, 3DNR, HLC, BLC  
30m Warmlight, 3 EXIR LED  
Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)  
Private Protocol With Z Series XVR  
Human Body Detection  
IP67 Metal Case, Easy Installation, 12VDC, **Smart PoE**  
Fara View Mobile Monitoring, VMS Monitoring



#### CCP-MD6230F-WA

Price : 9.200.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
Plastic Case, **Built in MIC**



**CCP-MD6230FN-WA**

Price : 9.200.000

1/2.9" Starlight CMOS Image Sensor  
 2.8mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 3 Sunny LED  
 OSD Menu by UTC(output 4-in-1)  
 Plastic Case  
**Built in MIC, Support Audio In TVI & CVI Mode**



**CCP-SD6530C-WA**

Price : 14.650.000

1/2.8" Starlight CMOS Image Sensor  
 2.8mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 2 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-SD6230C-WA**

Price : 11.850.000

1/2.9" Starlight CMOS Image Sensor  
 2.8mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 2 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-MD6230E-WCA**

Price : 12.200.000

1/2.9" Starlight CMOS Image Sensor  
 2.8mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP67, Metal Case, Easy Installation  
**Built in MIC, Support Audio In TVI & CVI Mode**



**CCP-MD6530E-WA**

Price : 14.950.000

1/2.8" Starlight CMOS Image Sensor  
 2.8mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP67, Metal Case, Easy Installation, **Built in MIC**



**CCP-SB6230V-WA**

Price : 11.500.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 4 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-SB6230V-W**

Price : 10.950.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 4 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6240V-W**

Price : 11.150.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 40m Warmlight Length, 6 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6250L-W**

Price : 11.300.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC,  
50m Warmlight Length, 6 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6550L-WA**

Price : 14.600.000

1/2.8" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, **5.0MP**  
DWDR, 3DNR, AWB, BLC,  
50m Warmlight Length, 6 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case, **Built in MIC**



**CCP-SB6550L-W**

Price : 13.800.000

1/2.5" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
3072(H) × 1728(V) Resolution, **5.0MP** 16:9  
DWDR, 3DNR, AWB, BLC,  
50m Warmlight Length, 6 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6230N-W**

Price : 10.950.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Sunny LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6230G-D**

Price : 12.000.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight & 40m IR Length, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6530G-DA**

Price : 15.450.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight & 40m IR Length, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-SB6230G-W**

Price : 11.500.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6530G-WA**

Price : 14.950.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-LB6550T-WA**

Price : 16.800.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 50m Warmlight Length, 4 Power LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-LB6550T-W**

Price : 16.100.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 50m Warmlight Length, 4 Power LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6230S-RL**

Price : 8.650.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m IR Length, SMD LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6230P-WL**

Price : 8.650.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 4 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP65, Plastic Case



**CCP-SB6240J-WL**

Price : 9.100.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 40m Warmlight Length, 4 Power LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Plastic Case



**CCP-MB6540H-WA**

Price : 14.950.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 40m Warmlight Length, 4 Power LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-MB6240H-W**

Price : 11.500.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 40m Warmlight Length, 4 Power LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6240U-RL**

Price : 8.800.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC,  
 40m IR Length, 18 SMD LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case





**CCP-SB6240UN-RL**

Price : 7.600.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC,  
40m IR Length, 18 SMD LED  
OSD Menu by UTC (output 4-in-1)  
IP65, Plastic Case



**CCP-SB6230R-WL**

Price : 8.800.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Plastic Case

4CH H.265 1080P-Lite XVR  
Preview Capacity: 4\*1080P-Lite@25fps  
Code Capacity: 4\*1080P-Lite@24fps  
2CH Playback  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers

## AOC

**CXP-4604-Z1**  
Price : 20.900.000



4CH H.265 5MP-Lite XVR  
4CH Camera + 1CH IP Camera  
Preview Capacity: 4\*5MP-Lite@20fps  
Code Capacity: 4\*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Clasification For 4CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB 2.0 - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International



**CXP-5604-Z1**  
Price : 25.400.000



4CH H.265 5MP-Lite XVR  
4CH Camera + 1CH IP Camera  
Preview Capacity: 4\*5MP-Lite@20fps  
Code Capacity: 4\*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Classification For 4CH)  
Support face detection 1CH (With Special Firmware Upgrade / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB 2.0 - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5604-ZN1**  
Price : 25.400.000



4CH H.265 **Real 5MP** XVR  
4CH Camera (Analog & IP)  
Preview Capacity: 4\*5MP@12fps  
Code Capacity: 4\*(5MP@12/4MP@15/1080P@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Classification For 4CH)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K** & VGA Video Simultaneous Output  
Analog Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7604-Z1/4KL**  
Price : 35.700.000



4CH H.265 **Real 5MP** XVR  
4CH Camera (Analog & IP)  
Preview Capacity: 4\*5MP@12fps  
Code Capacity: 4\*(5MP@12/4MP@15/1080P@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Classification For 4CH)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
Analog Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

**SMD  
AOC**

**CXP-7604-ZN1/4KL**

Price : 35.700.000



8CH H.265 5MP-Lite XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*5MP-Lite@12fps  
Code Capacity: 8\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
8CH Playback  
Support SMD (Human/Vehicle Classification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At  
The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

 **SMD  
AOC**

**CXP-5608-Z1**

Price : 32.800.000



8CH H.265 5MP-Lite XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*5MP-Lite@12fps  
Code Capacity: 8\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5608-ZN1**  
Price : 32.800.000



8CH H.265 **4K-Lite & Real 5MP** XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*(4K-Lite@15/5MP@12)fps  
Code Capacity: 8\*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
Analog Video Output (BNC)  
2 SATA HDD Up to 10TB for each port (Change Adaptor to 12V/5A)  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7608-Z2/4KL**  
Price :52.350.000





8CH H.265 **4K-Lite & Real 5MP** XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*(4K-Lite@15/5MP@12)fps  
Code Capacity: 8\*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
Analog Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7608-ZN1/4KL**

Price : 52.350.000



16CH H.265 5MP-Lite XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*5MP-Lite@12fps  
Code Capacity: 16\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
2 SATA HDD Up to 10TB for each port  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5616-Z2**

Price : 56.950.000



16CH H.265 5MP-Lite XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*5MP-Lite@12fps  
Code Capacity: 16\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5616-ZN1**  
Price : 56.200.000



8CH H.265 5MP-Lite XVR  
8CH Camera (Analog & IP)  
Preview Capacity: 8\*5MP-Lite@20fps  
Code Capacity: 8\*(5MP-Lite@12)fps  
8CH Playback (4CH@12fps + 4CH@1fps)  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5708-ZHN1**  
Price : 35.900.000



 **HISILICON**  
NEW AI Chipset

16CH H.265 **4K-Lite & Real 5MP** XVR  
 16CH Camera (Analog & IP)  
 Preview Capacity: 16\*(4K-Lite@15fps/5MP@12fps)  
 Code Capacity: 16\*(4K-Lite@7fps/5MP@8fps)  
 16CH Playback  
 Support SMD (Human/Vehicle Classification For 16CH)  
 Support face detection 1CH  
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
 Pentabrid (Analog, AHD, CVI, TVI, IP)  
**HDMI 4K** & VGA Video Simultaneous Output - Analog Video Output (BNC)  
 1 SATA HDD Up to 10TB  
 4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
 P2P support, Onvif 2.4  
 IOS/Android FARA VIEW App - Adaptive Iran & International Servers



**CXP-7616-ZHN1/4KL**

Price : 79.350.000



**HISILICON**  
NEW AI Chipset

3 Output Relay Box  
 1 Output With 12VDC  
 1 RJ45 Web Management Interface  
 Compatible With Z Series XVR  
 12VDC Input (Without Adaptor)

**FARA AI ALARM BOX**

Price : 13.800.000



این محصول به وسیله کابل شبکه به رکوردرهای سری زد متصل شده و با تعریف و پیاده سازی سناریوهای مختلف از طریق رکوردر و منوی خود محصول می توان از قابلیت های تشخیص انسان و خودروی دوربین و رکوردر در جهت فعال سازی خروجی محصول استفاده نمود تا خروجی تجهیزاتی از قبیل آزر، تلغن کننده، فرمان به دزدگیر و سایر تجهیزات فرمان پذیر را فعل کرد و از دوربین ها به عنوان دتکتور محیطی با هوش مصنوعی و دقت بسیار بالا استفاده نمود





🌐 [www.atineh.com](http://www.atineh.com)

☎ 021-91006008

آدرس دفتر مرکزی : تهران، خیابان بهشتی، خیابان احمد قصیر،  
کوچه ششم غربی، پلاک 1، واحد 16