












































# Access Control




## Access Control



## Access Control




## Access Control




## Access Control

Module



## Access Control





## ITS

DHI-ITCXXX-XXXX-XX

- DHI :**  
Dahua
- ITC :**  
Intelligent transportation camera
- Resolution**  
1 : 1MP  
2 : 2MP  
3 : 3MP  
5 : 5MP  
6 : 6MP  
8 : 8MP
- Sensor**  
0-CCD  
1-CMOS(Entry level)  
3-CMOS(Middle level)  
5-CMOS(High-end level)
- Product series**  
2, 5, 6=General series  
4, 7=Special series

### Custom Attributes

- C-optical port
- T- dual lens
- IR-Infrared, different number, different wave length
- F-Focul length
- W-Wifi
- M-Wireless communication (e.4G)
- N-within N, mean no the attributes behind

### Different generation

- ( hardware or appearance )
- A~W, A:the first generation

### Resolution distinguish

The same pixel, different resolution ( such as 200W 1600 \* 1200 or 1920 \* 1080 )

### Shape

- F: Fixed box
- H: Fixed dome
- W: Bullet
- U: Housing camera

### Application

- R=ANPR,Red light enforcement
- C=ANPR
- E=Red light enforcement
- P=Parking
- B=Mobile
- T=Traffic flow
- ...

## ITS

