

































NO	Product	Features	Price	Picture
1	DS-2CE56D0T-IRMM	HD1080p,2MP CMOS Sensor, 12 pcs LEDs, 20m IR, Indoor IR Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, 3.6/6mm Lens	IRR 1,880,000	
2	DS-2CE16D0T-IR	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 2,220,000	
3	DS-2CE56D0T-IR	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 2,120,000	
4	DS-2CE56D0T-IRM	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 2,220,000	
5	DS-2CE16D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 2,770,000	
6	DS-2CE16D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 3,040,000	

7	DS-2CE16D0T-IT5	HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 3,500,000	
8	DS-2CE56D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 2,770,000	
9	DS-2CE56D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 3,040,000	
10	DS-2CE16D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 4,990,000	
11	DS-2CE56D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 4,990,000	
13	DS-2CE56C0T-IT3	1.0 Megapixel high-performance CMOS, Analog HD output, up to 720P resolution, True Day/Night, DNR, Smart IR, EXIR technology, up to 20m/40m IR distance, IP66 weatherproof	IRR 2,020,000	






14	DS-2CE16C0T-IT1	1 Megapixel high-performance CMOS, Analog HD output, up to 720P resolution, True Day/Night, DNR, Smart IR, EXIR technology, up to 20m/40m/80m IR distance, IP66 weatherproof	IRR 1,770,000	
15	DS-2CE16C0T-IT5	1 Megapixel high-performance CMOS, Analog HD output, up to 720P resolution, True Day/Night, DNR, Smart IR, EXIR technology, up to 20m/40m/80m IR distance, IP66 weatherproof	IRR 2,200,000	
16	DS-2CE16C0T-IT3	1 Megapixel high-performance CMOS, Analog HD output, up to 720P resolution, True Day/Night, DNR, Smart IR, EXIR technology, up to 20m/40m/80m IR distance, IP66 weatherproof	IRR 2,020,000	
25	DS-2CE56D7T-IT3Z	HD1080p, 2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR , IP66, 2.8~12mm Motorized Vari-focal Lens	IRR 6,200,000	
26	DS-2CE16D8T-IT	HD1080p, 2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu (Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	IRR 3,690,000	






27	DS-2CE56D8T-ITM	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	IRR 3,690,000	
28	DS-2CE56D8T-IT1	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	IRR 3,860,000	
29	DS-2CE16D8T-IT3	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	ناموجود	
30	DS-2CE16D8T-IT3Z	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Auto-Focus Lens	IRR 7,360,000	
31	DS-2CE16D8T-ITE	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	Coming Soon	




32	DS-2CE56D8T-ITME	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC & built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP67, 2.8/3.6/6mm Lens	Coming Soon	
33	DS-2CE16D8T-IT3E	2M Smart FSI CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	IRR 4,428,000	
34	DS-2CE56D8T-IT1E	2M Smart FSI CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	Coming Soon	
Exir Turbo HD Series				
35	DS-2CE16F1T-IT	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	ناموجود	
36	DS-2CE56F1T-ITM	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 2,868,000	





37	DS-2CE16F1T-IT1	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	ناموجود	
38	DS-2CE16F1T-IT3	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	ناموجود	
39	DS-2CE16F1T-IT5	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 3,876,000	
40	DS-2CE56F1T-IT1	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	ناموجود	
41	DS-2CE56F1T-IT3	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	ناموجود	





42	DS-2CE16F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR , IP66, 2.8~12mm Motorized Vari-focal Lens	ناموجود	
43	DS-2CE56F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR , IP66, 2.8~12mm Motorized Vari-focal Lens	ناموجود	
Exir Series				
44	DS-2CC52H1T-FITS	5MP, 12.5fps@5MP, 180° panoramic view, EXIR, 20m IR, Indoor EXIR Fisheye, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, ePTZ, DNR, OSD Menu, Built-in Mic, 1.1mm Lens	Coming Soon	
45	DS-2CE16H1T-IT	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	ناموجود	




46	DS-2CE56H1T-ITM	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	ناموجود	
47	DS-2CE16H1T-IT3	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	ناموجود	
48	DS-2CE56H1T-IT1	5MP, 20fps@5MP or 25fps(P)/30fps(N) @4MP resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	ناموجود	
Exir Series - Built in PoC				
49	DS-2CE16H1T-ITE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 3,876,000	
50	DS-2CE56H1T-ITME	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	Coming Soon	

51	DS-2CE16H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 4,428,000	
52	DS-2CE16H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 4,800,000	
53	DS-2CE16H1T-IT5E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 5,172,000	
54	DS-2CE56H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	Coming Soon	
55	DS-2CE56H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 4,800,000	

56	DS-2CE16H1T-IT3ZE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Motorized Vari-focal Lens	Coming Soon	
57	DS-2CE56H1T-IT3ZE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Motorized Vari-focal Lens	Coming Soon	
Turbo HD PTZ Camera				
58	DS-2AE5223TI-A (24VAC)	1/3" CMOS, 1920x1080:30fps, TVI & CVBS dual output, 3D DNR, ICR, Color: 0.05lux/F1.4, B/W:0.005lux/F1.4, Optical Zoom:23x, Focus:4.0-92mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° - 400°/s, Tilt Speed: 0.1° -120°/s, Up the Coax, 150m IR	IRR 43,983,200	

59	DS-2AE7230TI-A (24VAC)	1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom:30x, Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1° -160°/s, Tilt Speed: 0.1° -120°/s, 120m IR distance, Up the Coax	IRR 56,356,500	
64	DS-7204HQHI-K1 (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01: 3MP @ 15fps, CH02-04:1920x1080P @15 fps/ch, support CVBS output, standalone 1U case	IRR 6,030,000	
65	DS-7208HQHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01 & 02: 3MP @ 15fps, CH03-08:1920x1080P @15 fps/ch, , support CVBS output, standalone 1U case	IRR 9,050,000	
66	DS-7208HQHI-K2 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01 & 02: 3MP @ 15fps, CH03-08:1920x1080P @15 fps/ch, support CVBS output, 380 1U case	ناموجود	

67	DS-7216HQHI-K1 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01-04: 3MP @ 15fps, CH05-16:1920×1080P @15 fps/ch, 4K UHD output , support CVBS output, standalone 1U case	IRR 20,060,000	
68	DS-7216HQHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH05-16:1920×1080P @15 fps/ch, 4K UHD output , support CVBS output, 380 1U case	IRR 21,217,500	
	DS-7204HUHI-K1/P (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case	IRR 10,959,500	
74	DS-7208HUHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output , alarm I/O: 8/4, support CVBS output, standalone 1U case	IRR 14,248,500	

76	DS-7216HUHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output , alarm I/O: 16/4, support CVBS output, 380 1U case	IRR 27,784,000	
77	DS-7204HUHI-K1/P (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case, built-in PoC	IRR 10,959,500	
78	DS-7208HUHI-K2/P (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output , alarm I/O: 8/4, support CVBS output, 380 1U case, built-in PoC	IRR 20,205,500	

آدرس: تهران، خیابان مطهری، تقاطع سهروردی، پلاک 123، شرکت
آتی نگر الکترونیک (تهران داهوا)