

تمامی محصولات شامل گارانتی
24 ماهه پارس ارتباط می باشند

آتی نگر الکترونیک



HIKVISION

نماینده رسمی فروش محصولات هایک ویژن در سراسر ایران

تلفن های واحد فروش و پشتیبانی فنی

۰۲۱-۸۸۳۹۸۷۴۱
۰۲۱-۸۸۳۹۸۷۴۲

Turbo HD Camera - DVR محصولات قیمت لیست

Turbo HD Camera - DVR		قیمت های قرمز رنگ قیمت جدید می باشد. در صورت درخواست قیمت های دیگر تماس بگیرید		
مدل	مشخصات	قیمت	تصویر	
Entry Level Series				
1080p				
1	DS-2CE56D0T-IRMM	HD1080p,2MP CMOS Sensor, 12 pcs LEDs, 20m IR, Indoor IR Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, 3.6/6mm Lens	IRR 4,100,000	
2	DS-2CE16D0T-IR	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,610,000	
3	DS-2CE56D0T-IR	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,270,000	
4	DS-2CE56D0T-IRM	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 4,610,000	
5	DS-2CE16D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 5,460,000	
6	DS-2CE16D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 4,730,000	
7	DS-2CE16D0T-IT5	HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 7,340,000	
8	DS-2CE16D0T-WL5	HD 1080p White Supplement Light Bullet Camera 2 Megapixel high-performance CMOS, Analog HD output, up to 1080P resolution White supplement light (up to 50 m distance),IP66,Up the Coax(HIKVISION-C)	IRR 7,850,000	
9	DS-2CE56D0T-IT1	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	IRR 5,460,000	
10	DS-2CE56D0T-IT3	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	IRR 5,640,000	
11	DS-2CE16D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 11,100,000	
12	DS-2CE56D1T-VFIR3	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	IRR 10,920,000	
720p				

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس شرکت:

02188398741 02188398742 02188397455 02188397460

کانال های رسمی شرکت در تلگرام:
















www.t.me/Tehranhikvision

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

وبسایت شرکت:

www.atineh.com www.shop.atineh.com

High Level Series				
1080p				
13	DS-2CE56D7T-IT3	HD1080P WDR EXIR Turret Camera, 2 Megapixel high-performance CMOS, Analog HD output, up to 1080P resolution, True Day/Night, OSD menu, DNR, Smart IR, True WDR, up to 120dB, EXIR technology, up to 20/40m IR distance , IP66 weatherproof, Up the Coax(HIKVISION-C)	IRR 4,730,000	
14	DS-2CE56D7T-IT3Z	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR , IP66, 2.8~12mm Motorized Vari-focal Lens	IRR 9,840,000	
Starlight Value Series				
HD 1080p				
15	DS-2CE16D8T-ITE	2M Smart FSI CMOS Sensor , EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2 , 12 VDC/ built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP66, 2.8/3.6/6mm Lens	IRR 6,830,000	
16	DS-2CE56D8T-ITME	2M Smart FSI CMOS Sensor , EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2 , 12 VDC & built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP67, 2.8/3.6/6mm Lens	IRR 6,830,000	
17	DS-2CE16D8T-IT3E	2M Smart FSI CMOS Sensor , EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2 , 12 VDC/ built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP66, 3.6/6/8/12/16mm Lens	IRR 8,190,000	
18	DS-2CE56D8T-IT1E	2M Smart FSI CMOS Sensor , EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.005 Lux/F1.2 , 12 VDC/ built-in PoC , Smart IR, 3D DNR , OSD Menu(Up the Coax), True WDR , IP66, 2.8/3.6/6mm Lens	IRR 6,020,000	
Exir Turbo HD Series				
3Mp				
19	DS-2CE16F1T-IT	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 4,450,000	
20	DS-2CE56F1T-ITM	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 4,450,000	
21	DS-2CE16F1T-IT1	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 5,030,000	
22	DS-2CE16F1T-IT3	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 5,440,000	
23	DS-2CE16F1T-IT5	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 6,020,000	
24	DS-2CE56F1T-IT1	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 4,880,000	
25	DS-2CE56F1T-IT3	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 5,180,000	
26	DS-2CE16F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR , IP66, 2.8~12mm Motorized Vari-focal Lens	IRR 14,330,000	
27	DS-2CE56F7T-IT3Z	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR , IP66, 2.8~12mm Motorized Vari-focal Lens	IRR 14,330,000	
Exir Series				
5Mp				
Exir Series - Built in PoC				
5Mp				

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس شرکت:

02188398741 02188398742 02188397455 02188397460

کانال های رسمی شرکت در تلگرام:




www.t.me/Tehranhikvision

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

وبسایت شرکت:

www.atineh.com www.shop.atineh.com

28	DS-2CE16H1T-ITE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 6,020,000	
29	DS-2CE56H1T-ITME	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 6,020,000	
30	DS-2CE16H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 6,880,000	
31	DS-2CE16H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 7,450,000	
32	DS-2CE16H1T-IT5E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 8,030,000	
33	DS-2CE56H1T-IT1E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	IRR 6,880,000	
34	DS-2CE56H1T-IT3E	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	IRR 7,450,000	
35	DS-2CE16H1T-IT3ZE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Motorized Vari-focal Lens	IRR 12,040,000	
36	DS-2CE56H0T-IT3ZF	5MP-Lens: 2.7-13.5mm/F1.2-Horizontal Field of View: 95.7°-29.1°Resolution: 2560×1944px Image sensor: 5 MP CMOS image sensor-Function: day/night ICR-DNR -D-WDR AGC-BLC-Smart IR-Mirror-Min. Illumination: 0.01Lx-IR distans: 40m-Power supply: DC 12VDC Power consumption: max. 6.3W-Dimensions: 123.86×134.3×110.11mm Weight: 580g-Temperature of work: -40°C~60°C	IRR 12,970,000	
37	DS-2CE56H1T-IT3ZE	5MP@20fps, 4MP@25fps(P)/30fps(N)(Default), EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal, ICR, 0.01 Lux/F1.2, 12 VDC/built-in PoC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Motorized Vari-focal Lens	IRR 12,040,000	
38	DS-2CC52H1T-FITS	HD 5MP IR Fisheye Camera, 5 Megapixel high-performance CMOS, Analog HD output, up to 5MP resolution, 0.01Lux @ (F1.2,AGC ON), 0 Lux with IR, IR cut filter with auto switch, OSD menu, Built-in microphone, 1-ch audio output, Up the Coax(HIKVISION-C)	IRR 24,570,000	
Turbo HD-8MG				
39	DS-2CE78U8T-IT3	4K Ultra-Low Light Turret Camera • 8.29 Megapixel high-performance CMOS • Ultra-low light • 3840 × 2160 resolution • 2.8 mm, 3.6 mm, 6 mm fixed focal lens • 120 dB true WDR, 3D DNR • EXIR 2.0, smart IR, up to 60m IR distance • IP67 • Up the Coax(HIKVISION-C)	IRR 19,460,000	
40	DS-2CE18U8T-IT3	K Ultra-Low Light Bullet Camera • 8.29 Megapixel high-performance CMOS • Ultra-low light • 3840 × 2160 resolution • 2.8 mm, 3.6 mm, 6 mm fixed focal lens • 120 dB true WDR, 3D DNR • EXIR 2.0, smart IR, up to 60m IR distance • IP67 • Up the Coax(HIKVISION-C)	IRR 20,480,000	
Turbo HD PTZ Camera				
37	DS-2AE5223TI-A (24VAC)	1/3" CMOS, 1920x1080:30fps, TVI & CVBS dual output, 3D DNR, ICR, Color: 0.05lux/F1.4, B/W:0.005lux/F1.4, Optical Zoom:23x, Focus:4.0-92mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° -400°/s, Tilt Speed: 0.1° -120°/s, Up the Coax, 150m IR	IRR 98,130,000	
38	DS-2AE7230TI-A (24VAC)	1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom:30x, Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1° -160°/s, Tilt Speed: 0.1° -120°/s, 120m IR distance, Up the Coax	IRR 125,600,000	
Turbo HD DVR				
720p/1080p				
39	DS-7204HQHI-K1 (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01: 3MP @ 15fps, CH02-04:1920×1080P @15 fps/ch, support CVBS output, standalone 1U case	IRR 11,680,000	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس شرکت:

02188398741 02188398742 02188397455 02188397460

کانال های رسمی شرکت در تلگرام:











www.t.me/Tehranhikvision

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

وبسایت شرکت:

www.atineh.com www.shop.atineh.com

40	DS-7208HQHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01 & 02: 3MP @ 15fps, CH03-08:1920×1080P @15 fps/ch, , support CVBS output, standalone 1U case	IRR 17,520,000	
41	DS-7216HQHI-K1 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01-04: 3MP @ 15fps, CH05-16:1920×1080P @15 fps/ch, 4K UHD output, support CVBS output, standalone 1U case	IRR 32,520,000	
42	DS-7216HQHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH05-16:1920×1080P @15 fps/ch, 4K UHD output, support CVBS output, 380 1U case	IRR 34,380,000	
1080p/3Mp/5Mp				
43	DS-7204HUHI-K1 (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case	IRR 17,690,000	
44	DS-7208HUHI-K1 (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, standalone 1U case	IRR 26,890,000	
45	DS-7216HUHI-K2 (Turbo HD 4.0)	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 16/4, support CVBS output, 380 1U case	IRR 45,020,000	
1080p/3Mp/5Mp Built In PoC				
46	DS-7204HUHI-K1/P (Turbo HD 4.0)	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case, built-in PoC	IRR 20,520,000	
47	DS-7208HUHI-K2/P (Turbo HD 4.0)	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, 380 1U case, built-in PoC	IRR 37,860,000	
1080p/3Mp/5Mp /8MP Built In PoC				
48	DS-7204HTHI-K1	4-ch, RCA (2.0 Vp-p, 1 KΩ)-4-chBNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection-2-ch-Up to 8 MP resolution,Supports H.265+/H.265/H.264+/H.264 IP cameras- VGA: 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz HDMI: 1-ch, 4K (3840 × 2160)/30Hz, 2K (2560 × 1440)/60Hz, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz-Video Bit Rate: -32 Kbps to 16 Mbps- Stream Type: VidVideo, Video & Audioeo, Video & Audio-Two-way Audio: 1-ch, RCA (2.0 Vp-p, 1 KΩ) (using the 1st audio input)-Audio Output: 1-ch, RCA (Linear, 1 KΩ)-Audio Bit Rate: -64 Kbps	IRR 25,470,000	
49	DS-7208HTHI-K2	4K H265+ TURBO HD DVR-4-ch, RCA (2.0 Vp-p, 1 KΩ)-Video Compression: H.265+/H.265/H.264+/H.264-Analog Video Input: 8-ch,BNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection Analog and HD-TVI video input: 8 MP, 5 MP, 4 MP, 3 MP, 1080p30, 1080p25, 720p60, 720p50, 720p30, 720p25 IP Video Input: 4-ch,Up to 8 MP resolution,Supports H.265+/H.265/H.264+/H.264 IP- Interface Type: 2 SATA interfacesCapacity: Up to 8 TB capacity for each disk-Alarm Input: 8-Alarm Output: 4	IRR 49,530,000	

تمامی محصولات شامل گارانتی 24 ماهه پارس ارتباط می باشند



آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس شرکت:

02188398741 02188398742 02188397455 02188397460

کانال های رسمی شرکت در تلگرام:

www.t.me/Tehranhikvision

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

وبسایت شرکت:

www.atineh.com www.shop.atineh.com