










Network Camera - NVR			
Items	Description	User Price	
20 Series			
1	DS-2CD2020F-I 2MP IR NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 64GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 15,192,000	
2	DS-2CD2042WD-I 4MP IR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2688*1520 resolution (20fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 21,144,000	
3	DS-2CD2043G0-I 4MP IR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 x 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 64GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 19,500,000	
4	DS-2CD2052-I 5MP IR NETWORK BULLET CAMERA 1/3" 5MP progressive scan CMOS Up to 2560*1920 resolution (20 fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 22,020,000	
5	DS-2CD2063G0-I 6MP IR NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072 x 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA, Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 23,400,000	
6	DS-2CD2083G0-I 4K IR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 x 2160 resolution (15 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA, Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 27,504,000	
21 Series-10-11			
7	DS-2CD2120F-I 2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.264/MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66, IK10 , 3 axis adjustment Onvif support	IRR 15,192,000	
8	DS-2CD2120F-IS 2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.264/MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 128GB),Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP66, IK10 , 3 axis adjustment Onvif support	IRR 15,192,000	
9	DS-2CD2123G0-IS 2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 19,704,000	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس شرکت:

02188398741 02188398742 02188397455 02188397460

کانال های رسمی شرکت در تلگرام:

www.t.me/Tehranhikvision










www.t.me/HIKVISIONMARKAZI











www.t.me/IRANCCTVSHOP










وبسایت شرکت:

www.atineh.com www.shop.atineh.com










Network Camera - NVR

	Items	Description	User Price	
20 Series				
1	DS-2CD2020F-I	2MP IR NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 64GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 15,192,000	
2	DS-2CD2042WD-I	4MP IR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2688*1520 resolution (20fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 21,144,000	
3	DS-2CD2043G0-I	4MP IR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 x 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 64GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 19,500,000	
4	DS-2CD2052-I	5MP IR NETWORK BULLET CAMERA 1/3" 5MP progressive scan CMOS Up to 2560x1920 resolution (20 fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 22,020,000	
5	DS-2CD2063G0-I	6MP IR NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072 x 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 23,400,000	
6	DS-2CD2083G0-I	4K IR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 x 2160 resolution (15 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 27,504,000	
21 Series-10-11				
7	DS-2CD2120F-I	2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.264/MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66, IK10 , 3 axis adjustment Onvif support	IRR 15,192,000	
8	DS-2CD2120F-IS	2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.264/MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB),Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP66, IK10 , 3 axis adjustment Onvif support	IRR 15,192,000	
9	DS-2CD2123G0-IS	2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 19,704,000	








11	DS-2CD2142FWD-IS	4MP IR Vandal-Proof Network Dome Camera 1/3" 4MP progressive scan CMOS Up to 2688 × 1520 resolution (20 fps) 2.8mm / 4mm / 6 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 /MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 21,144,000	
12	DS-2CD1023G0-I	2MP IR NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920× 1080 resolution (25fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC,DWDR PoE, DC12V, IP67, 3 axis adjustment Onvif support	IRR 11,700,000	
13	DS-2CD1123G0-I	2MP IR NETWORK DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920× 1080 resolution (25fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC,DWDR PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 12,528,000	
14	DS-2CD2143G0-IS	4MP IR NETWORK DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2688 × 1520 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 21,348,000	
15	DS-2CD2152F-IS	5MP IR Vandal-Proof Network Dome Camera 1/3" 5MP progressive scan CMOS Up to 2560×1920 resolution (20 fps) 4mm/6mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 /MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 23,172,000	
16	DS-2CD2163G0-I(S)	6MP IR NETWORK DOME CAMERA 1/3" 6MP progressive scan CMOS Up to 3072 × 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 25,452,000	
17	DS-2CD2183G0-I(S)	4K IR NETWORK DOME CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 × 2160 resolution (15 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support	IRR 29,964,000	
23 Series				
18	DS-2CD2342WD-I	4 MP EXIR Turret Network Camera 1/3" 4MP progressive scan CMOS Up to 2688 × 1520 resolution (20 fps) 2.8mm / 4mm / 6 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,EXIR PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 20,196,000	
19	DS-2CD2352-I	5 MP EXIR Turret Network Camera 1/3" 5MP progressive scan CMOS Up to 2560 × 1920 resolution (20 fps) 2.8mm / 4mm / 6 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,EXIR PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 30,180,000	
4MG				
20	DS-2CD1043G0-I	4MP EXIR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR ,ROI PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 16,008,000	








21	DS-2CD1143G0-I	4MP EXIR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 x 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR ,ROI,Reset Button PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support	IRR 16,836,000	
22	DS-2CD1643G0-I	4MP EXIR Vari-Focal NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 x 1440 resolution (20 fps) 2.8-12 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP67 ,3 axis adjustment Onvif support	IRR 28,740,000	
23	DS-2CD1743G0-I	4MP EXIR Vari-Focal NETWORK DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 x 1440 resolution (20 fps) 2.8-12 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP67 ,3 axis adjustment Onvif support	IRR 25,860,000	
24 Series				
24	DS-2CD2420F-IW	2MP IR Cube NETWORK CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920x 1080 resolution (25 fps) 2.8mm lens , 0 lux IR on Max IR distance: 10 meters , PIR Range :10m H.264 / MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB),Built-in WIFI, Reset Button Built In MIC & Speaker , Two Way Talk , 1 Alarm I/O PoE, DC12V Onvif support	IRR 15,192,000	
25	DS-2CD2442FWD-IW	4MP IR Cube NETWORK CAMERA 1/2.8" 4MP progressive scan CMOS Up to 2560 x 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 10 meters , PIR Range :10m H.264 / MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB),Built-in WIFI, Reset Button Built In MIC & Speaker , Two Way Talk , 1 Alarm I/O PoE, DC12V Onvif support	IRR 20,940,000	
25 Series				
26	DS-2CD2520F	2MP NETWORK Mini DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,Micro SD (Up to 64GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support	IRR 15,600,000	
27	DS-2CD2542FWD-IS	4MP IR NETWORK Mini DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2688*1520 resolution (20fps) 4 mm lens , 0 lux IR on Max IR distance: 10 meters H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD, (Up to 128GB),Reset Button Built In MIC , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK08 ,3 axis adjustment Onvif support	IRR 28,428,000	
26 Series				
28	DS-2CD2620F-I	2MP IR Vari-Focal NETWORK BULLET CAMERA 1/3" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8-12 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66 ,3 axis adjustment Onvif support	IRR 26,280,000	
29	DS-2CD2643G0-IZS	4MP IR Motorized NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2688x 1520 resolution (25 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128 GB), Reset Button , 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support	IRR 43,104,000	








30	DS-2CD2663G0-IZS	6MP IR Motorized NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072x 2048 resolution (20 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button , 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support	IRR 49,668,000	
31	DS-2CD2683G0-IZS	4K IR Motorized NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840x 2160 resolution (15 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button , 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support	IRR 57,468,000	
27 Series				
32	DS-2CD2720F-I	2MP IR Vari-Focal NETWORK DOME CAMERA 1/3" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8-12 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,VCA,ROI, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP66 ,IK10,3 axis adjustment Onvif support	IRR 22,764,000	
33	DS-2CD2720F-IZ	2MP IR Motorized NETWORK DOME CAMERA 1/2.7" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.7-12 mm Motorized lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,VCA,ROI, Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP66,IK10,3 axis adjustment Onvif support	IRR 34,068,000	
34	DS-2CD2723G0-IZS	2MP IR Motorized NETWORK DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (25 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA, Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10,3 axis adjustment Onvif support	IRR 39,000,000	
35	DS-2CD2743G0-IZS	4MP IR Motorized NETWORK DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2688 x 1520 resolution (25 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button, 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10,3 axis adjustment Onvif support	IRR 43,104,000	
36	DS-2CD2763G0-IZS	6MP IR Motorized NETWORK DOME CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072 x 2048 resolution (20 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button, 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10,3 axis adjustment Onvif support	IRR 49,668,000	
37	DS-2CD2783G0-IZS	4K IR Motorized NETWORK DOME CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 x 2160 resolution (15 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button, 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10,3 axis adjustment Onvif support	IRR 57,468,000	
29 Series				
38	DS-2CD2955FWD-IS	5MP IR NETWORK FISHEYE CAMERA 1/2.5" 5MP progressive scan CMOS Up to 2560 x 1920 resolution (30 fps) 2.8-12 mm Motorized lens , 0 lux IR on Max IR distance: 8 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,HLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 1 Alarm I/O PoE, DC12V,3 axis adjustment Onvif support	IRR 60,000,000	








2T Series			
39	DS-2CD2T43G0-I5	4MP EXIR NETWORK BULLET CAMERA 1/3 " 4MP progressive scan CMOS Up to 2688x 1520 resolution (25 fps) 2.8mm lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 22,176,000 
40	DS-2CD2T52-I5	5MP EXIR NETWORK BULLET CAMERA 1/3 " 5MP progressive scan CMOS Up to 2560x 1920 resolution (20 fps) 4 mm lens , 0 lux IR on Max IR distance: 50 meters H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 29,964,000 
41	DS-2CD2T63G0-I5	6MP EXIR NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072x 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 26,688,000 
42	DS-2CD2T63G0-I8	6MP EXIR NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072x 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 80 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 28,332,000 
43	DS-2CD2T83G0-I5	4K EXIR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 x 2160 resolution (15 fps) 2.8mm lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 32,016,000 
44	DS-2CD2T83G0-I8	4K EXIR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 x 2160 resolution (15 fps) 2.8mm lens , 0 lux IR on Max IR distance: 80 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 33,660,000 
2F Series			
46	DS-2CD2F52F-IS	5MP ICR NETWORK DOME CAMERA 1/3 " 5MP progressive scan CMOS Up to 2560x 1920 resolution (20 fps) 2.8mm/4 mm/6mm lens , Max IR distance: 10 meters H.264+,H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB),Reset Button 1 Audio I/O , 1 Alarm I/O , Support Pan & Tilt PoE, DC12V, IP67,3 axis adjustment Onvif support	IRR 22,500,000 
2D Series			
47	DS-2CD2D14WD	1MP NETWORK PINHOLE CAMERA 1/4 " 1MP progressive scan CMOS Up to 1280x 720 resolution (30 fps) 3.6 mm lens , Max IR distance: 10 meters H.264,MJPEG video compression 3DDNR,BLC,WDR(100dB) ,VCA DC12V Onvif support	IRR 15,708,000 
2E Series			
48	DS-2CD2E20F-W	2MP NETWORK Recessed Mount Dome CAMERA 1/3 " 2MP progressive scan CMOS Up to 1920x 1080 resolution (30 fps) 4 mm lens , H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button PoE, DC12V Onvif support	IRR 22,380,000 






2Q Series			
49	DS-2CD2Q10FD-IW	1MP NETWORK Pan/Tilt CAMERA 1/4 " 1MP progressive scan CMOS Up to 1280x 720 resolution (30 fps) 4 mm lens , Max IR distance: 10 meters , PIR Range :10m H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button Built In MIC & Speaker , Two Way Talk, Support Pan & Tilt DC5V Onvif support	IRR 20,064,000 
50	DS-2CV2Q21FD-IW/32GB-T	2MP NETWORK Pan/Tilt CAMERA 1/2.8 " 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 2.8 mm lens , Max IR distance: 5 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button Built In MIC & Speaker , Two Way Talk, Support Pan & Tilt DC5V, includes a 32 GB memory card Onvif support	IRR 17,412,000 
51	DS-2CV2U21FD-IW/32GB-T	2MP NETWORK CUBE CAMERA 1/2.8 " 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 2.8 mm lens , Max IR distance: 10 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button Built In MIC & Speaker , Two Way Talk, DC5V, includes a 32 GB memory card Onvif support	IRR 13,932,000 
IP PTZ Camera			
52	DS-2DE4A220IW-DE	2MP NETWORK IR PTZ CAMERA 1/2.8 " 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 4.7-94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 50 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button 1 Audio I/O , 2 Alarm I/O , Auto Tracking,Event Tracking, POE+,DC12V Onvif support	IRR 90,312,000 
53	DS-2DE2202I-DE3	2MP 20X NETWORK IR PTZ CAMERA 1/2.8 " 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 4.7-94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 50 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB), Built In MIC ,1 Audio I/O , 2 Alarm I/O , Auto Tracking,Event Tracking, POE+,DC12V Onvif support	IRR 24,000,000 
54	DS-2DE4220IW-DE	2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 4.7-94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 100 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O POE+,DC12V,IP66 Onvif support	IRR 70,608,000 
55	DS-2DE5220IW-AE	2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 4.7-94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O HI-POE,AC24V,IP66 Onvif support	IRR 117,396,000 
56	DS-2DE5230W-AE	2MP 30X ICR NETWORK PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 x 1080 resolution (30 fps) 4.3-129 mm lens(30x Optical,16x Digital) ,0 lux IR on , H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O POE,AC24V,IP66,IK10 Onvif support	IRR 122,316,000 

57	DS-2DE7220IW-AE	<p>2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.7-94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O HI-POE,AC24V,IP66 Onvif support</p>	IRR 123,144,000	
58	DS-2DE7230IW-AE	<p>2MP 30X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.3-129 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O HI-POE,AC24V,IP66 Onvif support</p>	IRR 142,440,000	
59	DS-2DE7530IW-AE	<p>5MP 30X NETWORK IR PTZ CAMERA 1/1.9 " 5MP progressive scan CMOS Up to 2592 × 1944 resolution (30 fps) 5.9-177mm lens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,EIS,HLC,ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O, Auto Tracking,Event Tracking, HI-POE,AC24V,IP66 Onvif support</p>	IRR 210,144,000	
60	DS-2DE7430IW-AE	<p>4MP 30X NETWORK IR PTZ CAMERA 1/1.9 " 4MP progressive scan CMOS Up to 2560 × 1440 resolution (30 fps) 5.9-177mm lens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,EIS,HLC,ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O, Auto Tracking,Event Tracking, HI-POE,AC24V,IP66 Onvif support</p>	IRR 187,524,000	
61	DS-2DE7420IW-AE	<p>4MP 20X NETWORK IR PTZ CAMERA 1/1.9 " 4MP progressive scan CMOS Up to 2560 × 1440 resolution (30 fps) 5.9-118 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,EIS,HLC,ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O, Auto Tracking,Event Tracking, HI-POE,AC24V,IP66 Onvif support</p>	IRR 170,760,000	
PanoVu Mini Series IR Network PTZ Camera				
62	DS-2PT3326IZ-DE3	<p>2MP IR Pano Vu Mini PTZ NETWORK CAMERA Panoramic Camera: 1/2.8" 2MP progressive scan CMOS Up to 3-CH 1920 × 1080 resolution (30 fps) PTZ Camera : 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 2.8-12mm lens(4X Optical,8X Digital) ,0 lux IR on ,Max IR distance: 10 meters --- H.265/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI, VCA, PTZ Linkage , Micro SD (Up to 256 GB), 1 Audio I/O HI-POE+,DC12V,IP66 Onvif support</p>	IRR 93,564,000	
NVR				
63	DS-7604NI-E1	<p>04 CHANNEL H.264+ 1U NVR Support 4 channel IP camera Support up to 6MP Resolution recording H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (1920*1080) , VGA Support 1 SATA (4TB), 1 USB 2.0,1 USB 3.0 Support 4/1 Alarm in/out, 1/1 Audio I/O RS-232, RS-485, 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 13,356,000	

64	DS-7604NI-E1/4P	<p>04 CHANNEL H.264+ 1U NVR Support 4 Channel POE IP Camera up to 4 independent PoE Support up to 6MP Resolution recording H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (1920*1080), VGA Support 1 SATA (4TB), 1 USB 2.0,1 USB 3.0 Support 4/1 Alarm in/out, 1/1 Audio I/O RS-232, RS-485, 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 19,104,000	
65	DS-7604NI-Q1	<p>04 CHANNEL H.265+ 1U NVR Support 4 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 1CH@8MP 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 15,000,000	
66	DS-7604NI-Q1/4P	<p>04 CHANNEL H.265+ 1U NVR Support 4 Channel IP Camera up to 4 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 1CH@8MP 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 20,940,000	
67	DS-7604NI-K1	<p>04 CHANNEL H.265+ 1U NVR Support 4 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 1 RJ45 (100) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 15,000,000	
68	DS-7604NI-K1/4P	<p>04 CHANNEL H.265+ 1U NVR Support 4 Channel POE IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 1 RJ45 (100) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 20,940,000	
69	DS-7608NI-Q1	<p>04 CHANNEL H.265+ 1U NVR Support 4 Channel IP Camera up to 4 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 40 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 1 RJ45 (100) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 20,772,000	
70	DS-7608NI-Q1/8P	<p>08 CHANNEL H.265+ 1U NVR Support 8 Channel IP Camera up to 8 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 8 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 1 RJ45 (100) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 33,696,000	

71	DS-7608NI-E2	<p>08 CHANNEL H.265+ 1U NVR Support 8 Channel IP Camera Support up to 6MP Resolution recording H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 8 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O, RJ45 (100) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 18,696,000	
72	DS-7608NI-E2/8P	<p>08 CHANNEL H.264+ 1U NVR Support 8 Channel IP Camera up to 8 independent PoE Support up to 6MP Resolution recording H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 8 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O, RJ45 (100) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 30,120,000	
73	DS-7608NI-K2	<p>08 CHANNEL H.265+ 1U NVR Support 8 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 22,896,000	
74	DS-7608NI-K2/8P	<p>08 CHANNEL H.265+ 1U NVR Support 8 Channel IP Camera up to 8 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 4 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 36,240,000	
75	DS-7616NI-E2	<p>16 CHANNEL H.264+ 1.5U NVR Support 16 Channel IP Camera Support up to 6MP Resolution recording H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 6CH @ 1080P Playback 8 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O, RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 20,604,000	
76	DS-7616NI-Q1	<p>16 CHANNEL H.265+ 1U NVR Support 16 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 1 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 21,600,000	
77	DS-7616NI-Q2/16P	<p>16 CHANNEL H.265+ 1U NVR Support 16 Channel POE IP Camera up to 8 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 4CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 48,000,000	

78	DS-7616NI-E2/8P	<p>16 CHANNEL H.264+ 1.5U NVR Support 16 Channel IP Camera up to 8 independent PoE Support up to 6MP Resolution recording H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 6CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 2 SATA (6TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O, RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 31,584,000	
79	DS-7616NI-E2/16P	<p>16 CHANNEL H.264+ 1.5U NVR Support 16 Channel IP Camera up to 16 independent PoE Support up to 6MP Resolution recording H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 6CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 2 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O, RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 42,264,000	
80	DS-7616NI-K2	<p>16 CHANNEL H.265+ 1.5U NVR Support 16 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 2 SATA (6TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 24,804,000	
81	DS-7616NI-K2/16P	<p>16 CHANNEL H.265+ 1U NVR Support 16 Channel IP Camera up to 16 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 2 SATA (6TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 48,000,000	
82	DS-7716NI-E4	<p>16 CHANNEL H.264+ 1U NVR Support 16 channel IP camera Support up to 6MP Resolution recording H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 6CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (1920*1080), VGA Support 4SATA (6TB), 1 USB 2.0,1 USB 3.0 Support 4/1 Alarm in/out, 1/1 Audio I/O RS-232, RS-485, 2 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 44,928,000	
83	DS-7716NI-E4/16P	<p>16 CHANNEL H.264+ 1.5U NVR Support 16 channel IP camera up to 16 independent PoE Support up to 6MP Resolution recording H.264+,H.264 video compression Max 80 Mbps Bit rate input Decoding Capability : 6CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (1920*1080), VGA Support 4SATA (6TB), 1 USB 2.0,1 USB 3.0 Support 4/1 Alarm in/out, 1/1 Audio I/O RS-232, RS-485, 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 67,428,000	
84	DS-7716NI-K4	<p>16 CHANNEL H.265+ 1U NVR Support 16 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 4 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera</p>	IRR 55,524,000	

85	DS-7716NI-K4/16P	16 CHANNEL H.265+ 1U NVR Support 16 Channel IP Camera up to 16 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 4 SATA (8TB), 1 USB 2.0,1 USB 3.0 1/1 Audio I/O , 4/1 Alarm I/O , 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera	IRR 75,900,000	
86	DS-7732NI-K4	32 CHANNEL H.265+ 1.5U NVR Support 32 Channel IP Camera Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 256 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 4 SATA (8TB), 2 USB 2.0,1 USB 3.0 1/1 Audio I/O , 16/4 Alarm I/O , RS-232,RS-485, 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera	IRR 69,936,000	
87	DS-7732NI-K4/16P	32 CHANNEL H.265+ 1.5U NVR Support 32 Channel IP Camera Up to 16 independent PoE Support up to 8MP Resolution recording H.265+,H.265,H.264+,H.264 video compression Max 256 Mbps Bit rate input Decoding Capability : 1CH@8MP, 8CH @ 1080P Playback 16 CH (4 CH@2Mp) 1 HDMI (4K), VGA Support 4 SATA (8TB), 2 USB 2.0,1 USB 3.0 1/1 Audio I/O , 16/4 Alarm I/O , RS-232,RS-485, 1 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera	IRR 88,956,000	
88	DS-7732NI-E4	32 CHANNEL H.264+ 1.5U NVR Support 32 Channel IP Camera Support up to 6MP Resolution recording H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 6CH @ 1080P Playback 8 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 4 SATA (6TB), 2 USB 2.0,1 USB 3.0 1/1 Audio I/O , 16/4 Alarm I/O, RS-232,RS-485, 2 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera	IRR 58,920,000	
89	DS-7732NI-E4/16P	32 CHANNEL H.264+ 1.5U NVR Support 32 Channel IP Camera up to 16 independent PoE Support up to 6MP Resolution recording H.264+,H.264 video compression Max 160 Mbps Bit rate input Decoding Capability : 1CH@8MP, 6CH @ 1080P Playback 8 CH (4 CH@2Mp) 1 HDMI (1080P), VGA Support 4 SATA (6TB), 2 USB 2.0,1 USB 3.0 1/1 Audio I/O , 16/4 Alarm I/O, RS-232,RS-485, 2 RJ45 (1000) Mbps Support Onvif Version 2.0, Third-Party Network Camera	IRR 80,436,000	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس شرکت:

02188398741 02188398742 02188397455 02188397460

کانال های رسمی شرکت در تلگرام:

www.t.me/Tehranhikvision

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

وبسایت شرکت:

www.atineh.com www.shop.atineh.com