

ليست قيمت شهريور ۹۸

TC-NCL214C

2MP IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens
20fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Perimeter)
Smart Defog
Max IR LEDs Length 20~30m, Smart IR
PoE, IP67



8,800,000

TC-NCL214C-NE

2MP IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens
20fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Perimeter)
Smart Defog
Max IR LEDs Length 30m, Smart IR
IP67



7,800,000

TC-C32GN

2MP IR Bullet Camera
1/2.9" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.265/H.264/M-JPEG dual-stream
encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
Smart Defog
Max IR LEDs Length 50m, Smart IR
PoE, IP67



7,700,000

TC-NC214

2MP Mini IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens, Angle of View: 86.5°
25fps@2M(1920*1080)
H.264/MJPEG triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Perimeter)
Micro SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
Cable Free Design
IP67, PoE



11,500,000

Starlight

TC-NC214S

2MP Starlight Mini IR Bullet Camera
1/2.8" 2Megapixel progressive CMOS
4mm fixed lens, Angle of View: 86.5°
25fps@2M (1920*1080)
S+265/H.264/MJPEG Encoding
Starlight Ultra Low Light 0.002lux
WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double
Tripwire/Perimeter/Object Abandon/Object
Lost/Running/Loitering/Parking/Crowd/Audio
Abnormal Detection/Video Abnormal
Detection)
Micro SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
Cable Free Design
IP67, PoE



18,200,000

TC-C32JN

2MP IR Bullet Camera
1/2.9" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.265/H.264/M-JPEG dual-stream
encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
Smart Defog
Max IR LEDs Length 50m, Smart IR
PoE, IP67



9,800,000

Starlight

TC-NCL214S

2MP Starlight IR Bullet Camera
1/2.8" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(140db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Double
Tripwire/Perimeter/Object Abandon/Object
Lost/Running/Loitering/Parking/Crowd/Audio
Abnormal Detection/Video Abnormal
Detection, Face Detection)
Smart Defog
Max IR LEDs Length 20~30m, Smart IR
PoE, IP67



14,900,000

Starlight

TC-NC514S

5MP Starlight IR Bullet Camera
1/2.8" 5Megapixel progressive CMOS
4mm fixed lens
20fps@5M (2560*1920)
S+265/H.264/M-JPEG dual-stream encoding
WDR(120db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Double
Tripwire/Perimeter/Object Abandon/Object
Lost/Running/Loitering/Parking/Crowd/Audio
Abnormal Detection/Video Abnormal
Detection)
Smart Defog
Micro SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
PoE, IP67



20,600,000



Super Starlight

TC-NC294XG + Bracket

2MP Super Starlight EXIR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens, Angle of View:90°
25fps@2M (1920*1080)
S+265/H.264/MJPEG Encoding
Starlight Ultra Low Light 0.0004 lux, IR Free Design
WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
1/1 Audio In, 1 Alarm In
Micro SD card 128GB
IP67, PoE



30,500,000

TC-NC414

4MP H.265 Mini IR Bullet Camera
1/3" 4Megapixel progressive CMOS
4mm fixed lens, Angle of View: 82.7°
25fps@4M(2560x1440)
S+265/H.264 triple-stream encoding
WDR(120dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Mirco SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
Cable Free Design
IP67, PoE



16,900,000

TC-NC23M

2MP IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
2.8-12mm Motorized lens, Angle of View: 94.7°~36.9°
25fps@2M(1920x1080)
S+265/H.264 triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Alarm times count)
1/1 Audio In/Out, 1/0 Alarm In/Out
Mirco SD card 128GB
Max IR LEDs Length 30~50m, Smart IR
IP67, PoE



22,500,000

Starlight

TC-NC23MS

2MP Starlight Motorized IR Bullet Camera
1/2.8" 2Megapixel progressive CMOS
2.8-12mm Motorized lens, Angle of View:92°~38.6°
25fps@2M (1920*1080)
S+265/H.264/MJPEG triple-stream encoding
Starlight Ultra Low Light 0.002lux
WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
1/1 Audio in/Out, 2/1 Alarm in/Out
RS485, USB, Micro SD card 128GB
Max IR LEDs Length 30-50m, Smart IR
IP67, PoE



25,800,000

TC-NC43M

4MP H.265 Motorized IR Bullet Camera
1/3" 4Megapixel progressive CMOS
2.8-12mm Motorized lens, Angle of View:90.8°~32.1°
25fps@4M(2560x1440)
S+265/H.264/MJPEG triple-stream encoding
WDR(120dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
1/1 Audio in/Out, 2/1 Audio in/Out
RS485, USB, Micro SD card 128GB
Max IR LEDs Length 30~50m, Smart IR
IP67, PoE



29,200,000



TC-NCL222C

2MP IR Dome Camera
1/2.7" 2Megapixel progressive CMOS
2.8mm fixed lens
20fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Perimeter)
Smart Defog
Max IR LEDs Length 20~30m, Smart IR
PoE, IP66



8,800,000

TC-NCL222C-NE

2MP IR Dome Camera
1/2.7" 2Megapixel progressive CMOS
2.8mm fixed lens
20fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Perimeter)
Smart Defog
Max IR LEDs Length 20~30m, Smart IR
IP66



7,800,000

TC-C32HN

2MP IR Bullet Camera
1/2.9" 2Megapixel progressive CMOS
2.8mm fixed lens
30fps@2M (1920*1080)
S+265/H.265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
Smart Defog
Max IR LEDs Length 30m, Smart IR
PoE, IP66



7,700,000

TC-C32KN

2MP Vandal Proof Mini IR Dome Camera
1/2.7" 2Megapixel progressive CMOS
2.8mm Fixed lens, Angle of View: 109.3°
30fps@2M(1920X1080)
S+265/H.264/MJPEG Triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, HLC, BLC
Smart Defog, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Video Abnormal Detection)
Built in Mic, 1CH Audio In, Micro SD card 128GB
Max IR LEDs Length 20m, Smart IR
Cable Free Design
IP66,IK10, PoE



11,500,000

TC-NC24M

2MP Vandal Proof IR Dome Camera
1/2.7" 2Megapixel progressive CMOS
2.8-12mm Motorized lens, Angle of View: 101° ~38°
25fps@2M(1920x1080)
S+265/H.264 triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Alarm times count)
1/1 Audio In/Out, 2/2 Alarm In/Out
Built-In Mic
Micro SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
IP66, IK10, PoE



22,500,000

TC-NC252

2MP Vandal proof Mini IR Dome Camera
1/2.7" 2Megapixel progressive CMOS
2.8mm Fixed lens
25fps@2M(1920X1080)
H.264/MJPEG Triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
VCA (Tripwire/Perimeter)
Smart Defog, EIS, ROI
Built in Mic
1CH Audio In
Micro SD card 128GB
Max IR LEDs Length 20m, Smart IR
Cable Free Design
IP66, IK10, PoE



11,500,000

Starlight

TC-NC252S

2MP Starlight Vandal Proof Mini IR Dome Camera
1/2.8" 2Megapixel progressive CMOS
2.8mm Fixed lens, Angle of View: 95.2°
25fps@2M(1920X1080)
S+265/H.264/MJPEG Triple-stream encoding
WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Built in Mic
1CH Audio In
Micro SD card 128GB
Max IR LEDs Length 20m, Smart IR
Cable Free Design
IP66,IK10, PoE



18,200,000

Starlight

TC-NC552S

5MP Starlight Vandalproof Mini IR Dome Camera
1/2.8" 5Megapixel progressive CMOS
2.8mm Fixed lens
20fps@5M()
S+265/H.264/M-JPEG triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Smart Defog, EIS, ROI
Built in Mic
1CH Audio In
Micro SD card 128GB
Max IR LEDs Length 20m, Smart IR
Cable Free Design
IP66, IK10, PoE



20,600,000



TC-NC44M

4MP H.265 Vandal proof Motorized IR Dome Camera
1/3" 4Megapixel progressive CMOS
2.8-12mm Motorized lens, Angle of View: 90.8°~32.1°
25fps@4M(2560X1440)
S+265/H.264/MJPEG Triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Smart Defog, EIS, ROI
Built in Mic
1/1CH Audio In/Out, 2/1 Alarm In/Out
Mirco SD card 128GB
Max IR LEDs Length 30m, Smart IR
IP67, IK10, PoE



29,200,000

TC-NC452

4MP H.265 Vandal proof Mini IR Dome Camera
1/3" 4Megapixel progressive CMOS
2.8mm Fixed lens, Angle of View: 99°
25fps@4M(2560X1440)
S+265/H.264/MJPEG Triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Built in Mic
1CH Audio In
Mirco SD card 128GB
Max IR LEDs Length 20m, Smart IR
Cable Free Design
IP67, IK10, PoE



16,900,000

Starlight

TC-NH6233I-CP

2MP 33x Starlight IR PTZ
1/2.8" 2Megapixel CMOS
S+265/H.264/MJPEG Triple-streams encoding
Max.25fps@2M (1920*1080)
4.6mm~152mm 33x optical zoom
Starlight Ultra Low Light 0.002lux
Max 400°/s pan speed, 16~90° Tilt Angle, 360° endless pan rotation
WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB
Support Defog, ROI
VCA(Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Up to 500 presets,8 Cruise,8 pattern
Built-In Mic
Alarm 1/1 in/out
Audio 1/1 in/out
Mirco SD card 128GB
IR Distance up to 200m
IP66



100,300,000

Starlight

TC-NH6220IE-CP

2MP 20x Starlight POE IR PTZ
1/2.8" 2Megapixel CMOS
S+265/H.264/MJPEG Triple-streams encoding
Max.25fps@2M(1920*1080)
5.2mm~98mm 20x optical zoom
Starlight Ultra Low Light 0.002lux
Max 400°/s pan speed, 16~90° Tilt Angle, 360° endless pan rotation
WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB, Defog
VCA(Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Up to 500 presets,8 Cruise,8 pattern, Auto scan, Auto Pan
Built in Mic
Alarm 1/1 in/out
Audio 1/1 in/out
Mirco SD card 128GB
IR Distance up to 100m
IP66, PoE+



82,000,000



Starlight

TC-NH3204IE

2MP 4x Starlight Mini EW IR POE PTZ
1/2.8" 2Megapixel CMOS
S+265/H.264/MJPEG Triple-streams encoding
Max.25fps@2M(1920*1080)
2.8mm~12mm 4x optical zoom
Starlight Ultra Low Light 0.002lux
Max 60°/s pan speed,2~90° Tilt Angle,
355° endless pan rotation
WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB
Support Defog, ROI
*Early Warning (EW)
IR LED + White Light + Speaker
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Early Warning/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
Up to 500 presets,8 Cruise,8 pattern
Built-In Mic, Built-In Speaker
Alarm 2/1 in/out, Audio 1/0 in/out
Mirco SD card 128GB
IR Distance up to 50m
IP65, PoE



45,600,000

Super Starlight

TC-NH6244ISA-G

2MP 44x Super Starlight AEW IR PTZ
1/1.8" 2Megapixel CMOS
H.265/H.264/MJPEG Triple-streams encoding
Max.60fps@2M(1920*1080)
4.9mm~216mm 44x optical zoom
Super Starlight Ultra Low Light 0.0004 lux
Max 400°/s pan speed, 16~90° Tilt Angle,
360° endless pan rotation
WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB
Support Defog, ROI, Wiper
*Auto Tracking Early Warning (AEW)
IR LED + White Light + Green Laser
VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Early Warning/Crowd/Audio Abnormal Detection/Video Abnormal Detection/Face Detection/People Counting/on duty Detection/Auto Tracking)
Up to 500 presets,8 Cruise,8 pattern
Built-In Mic, Built-In Speaker
Alarm 8/2 in/out, Audio 1/1 in/out
RS485
Mirco SD card 128GB
IR Distance up to 200m
IP66



Call

TC-NR5005M7-S1-C

5 CH 1HDD 1U NVR
5 IP camera input
S+265/H.264 codec decoding
Max 40/40 Mbps incoming/Outgoing bandwidth
Up to 5M Resolution Recording
Support 5-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 1920x1080
Support 1 SATA HDD up to 8TB
2 USB Ports
1*10/100 Mbps Network Card
P2P support



10,500,000

TC-NR5010M7-S1-C

10CH 1HDD 1U NVR
10 channel IP camera input
S+265/H.264 codec decoding
Max 40/40 Mbps incoming/Outgoing bandwidth
Up to 5M Resolution for Preview
Support 10-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 1920x1080
Support 1 SATA HDD up to 8TB
2 USB Ports
1*10/100 Mbps Network Card
P2P support



12,700,000

TC-R3110

10CH 1HDD 1U NVR
10 channel IP camera input
S+265/H.264 codec decoding
Max 40/40 Mbps incoming/Outgoing bandwidth
Up to 5MP Resolution Recording
Support 10-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 1920x1080
Support 1 SATA HDD up to 10TB
2 USB Ports
1*10/100 Mbps Network Card
P2P support



12,700,000

TC-NR5010M7-S1

10CH 1HDD 1U NVR
10 channel IP camera input
S+265/H.264 codec decoding
Max 60/60 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 10-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 1 SATA HDD up to 8TB
2 USB Ports, 1Alarm Output
1*10/100/1000 Mbps Network Card
P2P support



15,800,000



TC-NR5020M7-S1

20CH 1HDD 1U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 60/60 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 1 SATA HDD up to 8TB
2 USB Ports, 1 Alarm Output
1*10/100/1000 Mbps Network Card
P2P support



17,800,000

TC-R3120

20CH 1HDD 1U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 80/80 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 1 SATA HDD up to 10TB
2 USB Ports
1*10/100 Mbps Network Card
P2P support



17,800,000

TC-NR5020M7-S2-C

20CH 2HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 80/80 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 2 SATA HDD up to 16TB
2 USB Ports, 1 Alarm Output
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100 Mbps Network Card
P2P support



26,600,000

TC-NR5020M7-S2

20CH 2HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 2 SATA HDD up to 16TB
2 USB Ports, 1 Alarm Output
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100/1000 Mbps Network Card
P2P support



40,000,000

TC-R3220

20CH 2HDD 1U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 80/80 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution Recording
Support 20-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 2 SATA HDD (10TB each SATA)
2 USB Ports, 1*RS-485
1/1CH Audio In/Out(Two way talk)
0/1CH Alarm In/Out
1*10/100 Mbps Network Card
P2P support



26,600,000

TC-NR5020M7-S4

20CH 4HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 4 SATA HDD up to 32TB
2 USB Ports, 16/4 Alarm In/Out
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100/1000 Mbps Network Card
P2P support



53,800,000



TC-R3420

20CH 4HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 4 SATA HDD (10TB each SATA)
2 USB Ports, 16/4 Alarm In/Out
2*RS-485, 1*RS-232
1/1CH Audio In/Out (Two way talk)
2*10/100/1000 Mbps Network Card
P2P support



53,800,000

TC-R3440

40CH 4HDD 1.5U NVR
40 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 40-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 4 SATA HDD(10TB each SATA)
2 USB Ports, 1*RS-485, 1*RS-232
16/4 Alarm In/Out
1/1CH Audio In/Out (Two way talk)
2*10/100/1000 Mbps Network Card
P2P support



67,500,000

TC-NR5040M7-S4

40CH 4HDD 1.5U NVR
40 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 40-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 4 SATA HDD up to 32TB
2 USB Ports
16/4 Alarm In/Out
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100/1000 Mbps Network Card
P2P support



67,500,000

TC-NR5040M7-S8

4K 40CH 8HDD 2U NVR
40 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 40-ch Intelligent Analysis Process(VCA)
Support N+M Hot Standby Function
Support ANR Function
2*HDMI/2*VGA simultaneous video output
Max output Resolution 4K
Support 8 SATA HDD up to 64TB
Support eSATA Only for Backup
Support JBOD, RAID0, RAID1, RAID5, RAID6, RAID10
3 USB Ports
16/4 Alarm In/Out
2*RS-485, 1*RS-232
1CH Audio In (Two way talk)
2CH Audio Out
1*10/100/1000 Mbps Network Card
P2P support



105,400,000

TC-NR5080M7-S8

4K 80CH 8HDD 2U NVR
80 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 80-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
2*HDMI/2*VGA simultaneous video output
Max output Resolution 4K
Support 8 SATA HDD up to 64TB
Support eSATA Only for Backup
Support JBOD, RAID0, RAID1, RAID5, RAID6, RAID10
3 USB Ports
16/4 Alarm In/Out
2*RS-485, 1*RS-232
1CH Audio In (Two way talk)
2CH Audio Out
2*10/100/1000 Mbps Network Card
P2P support



146,000,000

