

EZ-IP

Surveillance Made Simple

مدل ردیف	مشخصات فنی	تصویر	قیمت (ریال)
1 IPC-B2B40-ZS	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) & 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 2.8~12mm varifocal lens Max. IR LEDs Length 40m Support Smart IR Micro SD card memory IP67, PoE		19,500,000
2 EZ-IPC-B1B40P EZ-IP 2	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) & 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		14,250,000
3 EZ-IPC-B1B20P-L EZ-IP 2	1/2.7" 2Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@1080P(1920×1080) & 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		9,750,000
4 EZ-IPC-T1B40P EZ-IP 2	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) & 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		14,250,000
5 EZ-IPC-T1B20P-L EZ-IP 2	1/2.7" 2Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@1080P(1920×1080) & 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		9,750,000
6 IPC-B1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048×1536)&25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE		9,700,000

مدل ردیف	مشخصات فنی	تصویر	قیمت (ریال)
7 IPC-B2A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7~12mm Motorized lens Micro SD card slot, up to 128GB Max. IR LEDs Length 60m IP67, PoE		19,400,000
8 IPC-D2B40-ZS	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560x1440) &25/30fps@3M(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 2.8~12mm varifocal lens Max. IR LEDs Length 30m Support Smart IR Micro SD card memory IP67, PoE		19,500,000
9 IPC-T1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE		9,700,000
10 IPC-D1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE		10,200,000
11 NVR1A04HS-4P	4 channel IP camera input 1/4/8/9 channel Live Preview H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 Support 4PoE port 100 Mbps Network Card P2P support		14,770,000
12 NVR1A08HS	8 channel IP camera input 1/4/8/9 channel Live Preview H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support		8,600,000

EZ-IP

Surveillance Made Simple











مدل ردیف	مشخصات فنی	تصویر	قیمت
1	<p>DH-PSD81602-A360</p> <p>8x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS 5mm fixed lens PTZ: One 1/1.9" 2Megapixel progressive scan CMOS 5.5mm~206mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 2x25fps@4096x1800+50/60fps@1080P Support 360-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/1 channel Audio In/Out 7/2 channel Alarm In/Out RS485 Micro SD memory, IP67, IK10</p>		Call
2	<p>DH-PSD8802-A180</p> <p>4x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera Panoramic: Four 1/1.9" 2Megapixel progressive scan CMOS 5mm fixed lens PTZ: One 1/1.9" 2Megapixel progressive scan CMOS 5.5mm~206mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 25fps@4096x1800+50/60fps@1080P Support 180-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/1 channel Audio In/Out 7/2 channel Alarm In/Out RS485 Micro SD memory, IP67, IK10</p>		Call
3	<p>IPC-PFW8800-A180</p> <p>4x2MP Multi-Sensor Panoramic Network IR Bullet Camera Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x1800 3.0mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing Map, E-PTZ 1/1 channel Audio In/Out 2/2 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>		Call
4	<p>IPC-PFW8601-A180</p> <p>3x2MP Multi-Sensor Panoramic Network IR Bullet Camera Three 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x832 3.6mm fixed lens Support 180-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, I Map, E-PTZ 1/1 channel Audio In/Out 2/1 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>		Call








مدل ردیف	مشخصات فنی	تصویر	قیمت
5	<p>DH-IPC-PDBW8800-A180</p> <p>4x2MP Multi-Sensor Panoramic Network IR Dome Camera Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Max 25fps@4096x1800 3.0mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/1 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>		Call
6	<p>DHI-ITC237-PW1B-IRZ</p> <p>دوربین ANPR با قابلیت تشخیص پلاک، مناسب برای ورودی های پارکینگ 2 Megapixel Full HD WDR Access ANPR Camera -Embedded with LPR algorithm inside the camera -Support plate cutout, overview picture snapshot and video recording -Embedded with White list database,1 ch relay out to control the barrier performance for outdoor applications-</p> <p>1/2.8" 2Megapixel progressive scan CMOS H.265/H.264M/H.264H/H.264B dual-stream encoding 25/30fps@1080P(1920x1080) 2.7mm~12mm Motorize lens WDR(140dB),BLC,HLC,Day/Night(ICR),3DNR,AWB,AGC,BLC Mirco SD card 64GB IR Distance 3~8m IP67, IK10, PoE</p>		92,000,000
7	<p>DH-IPC5831EP-ZE</p> <p>1/2.5" 8 Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840x2160),25/30fps@3Mp(2304x1296) 2.7mm ~12mm motorized lens Max. Aperture F1.6 WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB 1/1 Audio In/Out 2/1 Alarm In/Out Max. IR LEDs Length 50m , Smart IR IP67,IK10, PoE</p>		52,000,000
8	<p>DH-IPC-HFW4831EP-S</p> <p>1/2.5" 8Megapixel progressive scan CMOS H.265+&H.265&H.264&MJPEG triple-stream encoding 15fps@4K(3840x2160),25/30fps@3Mp(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 40m Micro SD card memory , 128 GB IP67, PoE</p>		32,100,000
9	<p>IPC-HFW4631EP-SE</p> <p>1/2.9" 6Megapixel progressive scan STARVISTM CMOS H. 265+ & H.265 & H.264+ & H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 40m Micro SD card memory , 128 GB IP67, PoE</p>		27,500,000





مدل ردیف	مشخصات فنی	تصویر	قیمت
10	<p>DH-IPC-HFW2531TP-Z</p> <p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 15fps@5M(2592x1944)&25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m ,Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)</p>		33,300,000
11	<p>DH-IPC-HFW5431EP-Z-H</p> <p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding Max 20fps@4Mp(2560x1440),25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion Scene Change Face)</p>		31,700,000
12	<p>DH-IPC-HFW5231EP-Z12E</p> <p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 5.3mm ~ 64mm 12x zoom lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 200m , Smart IR IP67, IK10, PoE Smart Detection (Trinwire Intrusion Object Abandoned/Missing Face)</p>		48,100,000
13	<p>DH-IPC-HFW5231EP-Z13E</p> <p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding 50/60fps@1080(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 13.5mm motorized lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>		39,800,000
14	<p>DH-IPC-HFW4431DP-BAS</p> <p>Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB IP67 PoE</p>		19,500,000
15	<p>DH-IPC-HFW4431BP-BAS</p> <p>Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE</p>		19,100,000





ردیف	مدل	مشخصات فنی	تصویر	قیمت
16	DH-IPC-HFW2431TP-Z	<p>1/3" 4 Megapixel progressive CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) 2.7mm ~13.5mm motorized lens WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB Max. IR LEDs Length 60m , Smart IR IP67, PoE+ Smart Detection (Tripwire Intrusion)</p>		29,200,000
17	DH-IPC-HFW1431SP	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>		19,100,000
18	DH-IPC-HFW4231EP-S	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS(Starlight) 3.6mm fixed lens 50/60fps@1080P(1920×1080) H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported: Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Max. IR LEDs Length 40m Mirco SD card 128GB IP67, PoE</p>		22,100,000
	 3.			
19	DH-IPC-HFW2431RP-VFS-IRE6	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		25,500,000
20	DH-IPC--HFW2231RP-VFS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm varifocal lens 25/30fps@2M(1920×1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		23,700,000
21	DH-IPC--HFW2231RP-ZS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm Motorized lens 25/30fps@2M(1920×1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		25,800,000
22	DH-IPC-HFW1420SP	<p>1/3" 4Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding Max 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		Discontinue





مدل ردیف	مشخصات فنی	تصویر	قیمت
23 DH-IPC-HFW1320SP	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding Max 20fps@3M(2048× 1536)&25/30fps@1080P(1920× 1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		12,300,000
24 DH-IPC-HFW1231SP NEW Product	<p>1/2.8" 2Megapixel progressive CMOS H.265& H.264 dual-stream encoding 25/30fps@1080P(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC, HLC 2.8mm fixed lens Max. IR LEDs Length 30m, Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)</p>		13,700,000
25 DH-IPC-HFW1230SP	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		11,700,000
26 HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+</p>		52,000,000
27 HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+</p>		52,000,000
28 DH-IPC-HDBW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens Max. IR LEDs Length 50m IP67,IK10, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion Scene Change Face)</p>		31,700,000







مدل ردیف	مشخصات فنی	تصویر	قیمت
29 DH-IPC- HDBW4831EP-ASE 	1/2.5" 4K progressive scan Starvis CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 30m Alarm in/out Audio in/out Micro SD card memory , 128 GB IP67,IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing Face)		32,100,000
30 DH-IPC-HDW4831EMP- ASE 	1/2.5" 4K progressive scan CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 50m Built-in Mic Micro SD card memory , 128 GB IP67,PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing Face)		32,100,000
31 HDW4631EM-ASE 	1/2.9" 6Megapixel progressive scan STARVISTM CMOS H. 265+ & H.265 & H.264+ & H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Built-in Mic Max. IR LEDs Length 50m, Smart IR Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)		27,500,000
32 DH-IPC-HDW4431EP- AS-H Eco-Savvy Lite 	1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB IP67 PoE		19,100,000
33 HDBW2531RP-ZAS	1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@5M(2592×1944)&25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 30m ,Smart IR IP67,IK10, PoE		33,300,000
34 DH-IPC- HDBW2431RP-ZAS	1/3" 4Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 50m IP67.IK10. PoE		29,200,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
35	DH-IPC-HDBW2421RP-ZS 1/3" 4Megapixel progressive CMOS 2.7~12mm Motorized lens H.264+ & H.264 dual-stream encoding 20fps@4M(2688x1520) & 25/30fps@2M(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB Max IR LEDs Length 30m IP67, IK10, PoE		22,800,000
36	DH-IPC-HDBW2421RP-VFS 1/3" 4Megapixel progressive CMOS 2.7~12mm varifocal lens 20fps@4M(2688x1520) & 25/30fps@2M(2304x1296) H.264+ & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card 128GB Max IR LEDs Length 30m IP67, IK10, PoE		19,700,000
37	DH-IPC-HDBW2431RP-VFS 1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card 128GB Max IR LEDs Length 50m IP67, IK10, PoE		25,000,000
38	DH-IPC-HDBW1431EP 1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688x1520) & 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, IK10, PoE		19,400,000
39	DH-IPC-HDW1431SP 1/3" 4Megapixel progressive CMOS 2.8mm fixed lens 20fps@4M(2688x1520) & 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE		19,100,000
40	DH-IPC-HDPW1420FP-AS 1/3" 4Megapixel progressive scan CMOS H.264 & MJPEG dual codec Max 20fps@4M(2688*1520), 25/30fps@3M(2304*1296) Smart Detection supported DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Built-in Mic Micro SD card 128GB Max. IR LEDs Length 20m IP66, PoE		Discontinue
41	DH-IPC-HDW1420SP 1/3" 4Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding Max 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE		Discontinue

مدل ردیف	مشخصات فنی	تصویر	قیمت
42	<p>DH-IPC-HDBW1320EP-AS</p> <p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding Max 20fps@3M(2048x1536) (2304x1296)&25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m Micro SD card Memory , 128 GB Audio In/Out IP67, IK10, PoE</p>		12,900,000
43	<p>DH-IPC-HDW1230SP</p> <p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		11,700,000
44	<p>DH-IPC-HDBW1230EP</p> <p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE</p>		12,200,000
45	<p>DH-IPC-HDBW8231EP</p> <p>1/2.8" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080P(1920x1080) WDR(140dB), SSA, Day/Night(ICR), 3DNR,AWB,AGC,BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m Micro SD card memory , 128 GB Audio In/Out Alarm In/Out Support EIS ,Defog Support People Counting, Heat Map IP67, IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing Face)</p>		Call
46	<p>DH-SD29204T-GN</p> <p>1/2.7" 2MP CMOS Sensor H.264+/H.264 Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 11mm , 4x Optical Zoom Max 100°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in Mic IR Distance up to 30m support POE Smart Detection (Tripwire Intrusion Scene Change Face Abandoned-Missing Object)</p>		33,300,000
47	<p>DH-SD1A203T-GN</p> <p>1/2.8" 2MP STARVIS™ CMOS (Starlight) H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 8.1mm , 3x Optical Zoom Max Pan: 80° /s; Tilt: 40° /s speed Pan: 0° ~ 355°; Tilt: 5° ~ 90° rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Support Defog IR Distance up to 15m IP 66, support POE Smart Detection (Tripwire Intrusion Abandoned/Missing Face Detection)</p>		35,500,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
48	<p>DH-SD6CE230U-HNI</p> <p>1/2.8" 2MP STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P 4.5mm~135mm Powerful 30x optical zoom Max 200°/s pan speed, 360° endless pan rotation WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection, Heat Map) Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Support Defog, ROI, EIS Alarm 7/2 in/out Audio 1/1 in/out 1*Video output RS485 IR Distance up to 200m PoE+, IP67, IK10</p>		154,900,000
49	<p>DH-SD6CE225U-HNI</p> <p>1/2.8" 2MP STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 50/60fps@1080P 4.8mm~120mm 25x optical zoom Max 200°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, BLC, HLC Support Defog, ROI, EIS Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection, Heat Map) Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan 1*Video output Rs485 Alarm 7/2 in/out Audio 1/1 in/out IR Distance up to 200m PoE+, IP67, IK10</p>		106,500,000
50	<p>DH-SD49225T-HN</p> <p>1/2.8" 2Megapixel STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P 4.8mm~120mm 25x optical zoom Max 240°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Support Defog IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Alarm 2/1 in/out Audio 1/1 in/out Support PoE+ IR Distance up to 100m</p>		77,400,000
51	<p>DH-SD65F230F-HNI</p> <p>Super Starligh</p> <p>1/1.9" 2MP CMOS Sensor(Super Starlight) H.264 / MJPEG Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P 6mm~180mm Powerful 30x optical zoom Max 300°/s pan speed, 360° endless pan rotation WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Support Defog, ROI, EIS Alarm 7/2 in/out Audio 1/1 in/out 1 video output RS485 IR Distance up to 100m Support PoE+ IP66, IK10</p>		Call



مدل ردیف	مشخصات فنی	تصویر	قیمت
52	<p>DH-SD59225U-HNI</p> <p>2MP 25x Starlight IR PTZ Network Camera 1/2.8" Exmor R CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.8mm~120mm 25x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66, OSD</p>		98,000,000
53	<p>DH-SD59230U-HNI</p> <p>2MP 30x Starlight IR PTZ Network Camera 1/2.8" Exmor R CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.5mm~135mm 30x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66, OSD</p>		143,000,000
54	<p>DH-SD59430U-HNI</p> <p>1/3" CMOS Sensor H.265+/H.265/H.264+/H.264 Encoding, Ultra-low bit rate transmission Max. 25/30fps@4M(2592x1520) & 50/60fps @1080P resolution WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 4.5mm ~ 135.0mm , 30x Optical Zoom Max 400°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Micro SD card memory , 64 GB Audio In/Out Alarm In/Out IP66, POE+ IR Distance up to 100m(AC24V)/ 80m(DC12V) Smart Detection (Tripwire Intrusion Scene Change Face Anandoned-Missing Object)</p>		159,500,000
55	<p>DH-SD60230T-HN</p> <p>1/2.8" 2Mp CMOS Sensor H.264+/H.264 Encoding, Ultra-low bit rate transmission Max. 30fps@1080P(2592x1520) & 60fps @720P resolution DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 4.5mm ~ 135.0mm , 30x Optical Zoom Max 600°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Micro SD card memory , 64 GB Audio In/Out Alarm In/Out IP67, IK10, POE+ Smart Detection (Tripwire Intrusion Scene Change Face Anandoned-Missing Object)</p>		Call

مدل ردیف	مشخصات فنی	تصویر	قیمت
56	DHI-NVR2104HS-4KS2 4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support		12,300,000
57	DHI-NVR2104HS-P-4KS2 4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 4PoE Port P2P support		18,200,000
58	DH-NVR2108HS-4KS2 8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support		13,900,000
59	DH-NVR-2108HS-8P-4KS2 8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 8Port PoE P2P support		25,900,000
60	DH-NVR4108HS-4KS2 8 channel IP camera input 1/4/8/9 channel Live Preview 8CH Playback H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support		18,800,000
61	DH-NVR4116HS-4KS2 16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support		24,700,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
62	DH-NVR4216-4KS2 16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support		37,800,000
63	DH-NVR4232-4KS2 32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support		41,400,000
64	DH-NVR5232-4KS2 32 channel IP camera input 32 channel Live Preview Up to 12Mp resolution preview&playback Smart H.265+/H.265/Smart H.264+/H.264/MJPEG Max 320Mbps incoming bandwidth Record Rate 320 Mbps Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding HDMI/VGA simultaneous video output 16 channel playback Support 2 SATA HDDs up to 20TB, 2 USB(1 USB3.0) 1000 Mbps Network Card RS232, RS485 4 Alarm Input, 2 Relay Output Support P2P		64,700,000
65	DH-NVR4432-4KS2 32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 4 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support		54,300,000
66	DH-NVR5432-4KS2 32 channel IPC input 32 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support		95,700,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
67	<p>DH-NVR5464-4KS2</p> <p>64 channel IPC input 64 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support</p>		115,900,000
68	<p>DH-NVR4832-4KS2</p> <p>32 channel IPC camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 8 SATA HDD up to 6TB 3 USB Ports (2 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card</p>		96,400,000
69	<p>DH-NVR5832-4KS2</p> <p>32 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 16ch@1080P 4ch@4K H.265 H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support</p>		127,800,000
70	<p>DH-NVR5864-4KS2</p> <p>64 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 16ch@1080P 4ch@4K H.265 H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 3 USB(1 USB3.0, 2USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support Raid 0/1/5/6/10</p>		145,800,000
71	<p>DH-NVR608-32-4KS2</p> <p>Intel Dual-core Processor 32 channel IPC input 32 Channel Live Preview: (1st Screen:1/4/8/9/16/25/36,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview&playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output</p>		134,400,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
72	DH-NVR608-64-4KS2 Intel Quad-core Processor 64 channel IPC input 32 Channel Live Preview: (1st Screen:1st Screen: 1/4/8/9/16/25/36 ,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview & playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 Support Smart Tracking and Intelligent Video 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output		233,500,000
73	DH-ESS1508C 2U standard 19-inch rack case Connect master device via eSATA or USB 1 eSATA port transmission speed up to 3Gbps 1 USB 3.0 port data transmission higher than normal Powerful R / W performance: read >64MB/s, write >64MB/s ESS1508C: Max support Internal 8 SATA HDD up to 48TB Recommended with DVR, NVR connection		52,000,000
74	DH-PFS3006-4ET-60 4-Port Fast Ethernet PoE Switch Layer two commercial switch 2*10/100 Mbps Uplink ports 4*10/100 Mbps PoE ports Port1≤60W, Port2-4≤30W, Total≤60W Support IEEE802.3af, IEEE802.3at(PoE+) ,Hi PoE 1.8Gbps Switching Capacity 890Kpps Mpps Packet Forwarding Rate 768Kb Packet Buffer Memory MAC atable size is 2K Supports DC 48-57V power supply 8-Port Fast Ethernet PoE Switch		8,160,000
75	DH-PFS3010-8ET-96 Layer two commercial switch 2*10/100/1000 Mbps Ports 8*10/100 Mbps PoE Ports Port1≤60W, Port2-8≤30W, Total≤96W Support IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE 5.6Gbps Switching Capacity 4.17 MppsPacket Forwarding Rate 4Mb Packet Buffer Memory MAC Table Size is 16K Supports DC 48-57V power supply		14,500,000
76	DH-PFS3110-8P-96 Two-layer industrial PoE switch 1*1000 Base-X 1*10/100/1000 Base-T 8*10/100 Base-T (PoE power supply) Each POE power ≤30W, Total≤96W Support IEEE802.3af, IEEE802.3at standard 7.6G Switching Capacity 4.17 MppsPacket Forwarding Rate 1Mb Packet Buffer Memory MAC auto study and aging, MAC address list capacity is 8K Industrial wide temperature design		16,800,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
77	<p>DH-PFS4218-16ET-190</p> <p>Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 16*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤190W</p> <p>Support IEEE802.3af, IEEE802.3at, Hi-PoE 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 5.36 Mpps Packet Forwarding Rate</p> <p>Network Management by WEB(http and https protocol)</p>		47,700,000
78	<p>DH-PFS4218-16ET-240</p> <p>Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 16*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤240W</p> <p>Support IEEE802.3af, IEEE802.3at, Hi-PoE 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 5.36 Mpps Packet Forwarding Rate</p> <p>Network Management by WEB(http and https protocol)</p>		53,200,000
79	<p>DH-PFS4226-24ET-240</p> <p>24-Port PoE Switch Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 24*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤240W</p> <p>Support IEEE802.3af, IEEE802.3at, Hi-PoE 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 6.55 Mpps Packet Forwarding Rate</p> <p>Network Management by WEB(http and https protocol)</p>		56,900,000
80	<p>DH-PFS4226-24ET-360</p> <p>24-Port PoE Switch Layer 2 management PoE switch 2*10/100/1000 Base-T (Combo port) 2*1000 Base-X (Combo port) 24*10/100 Base-T (PoE power supply) Port1/2 support Hi-PoE (60W), PoE+, PoE Each power ≤30W, Total≤360W</p> <p>Support PoE, PoE+, Hi-PoE 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission Support spanning tree protocol STP/RSTP Support Vlan:VLAN/802.1Q Standard Vlan 8.8G Switching Capacity 6.55 Mpps Packet Forwarding Rate</p> <p>Support Web management management, PoE Setting/Event Statistics/Green PoE</p>		67,500,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
81 PFT1300	<p>PoE Extender 1*10/100 Base-T PoE power receiving port 1*10/100 Base-T PoE power supply port, supply power for the next extender 1*10/100 Base-T PoE power supply port, supply power for IPC Support passive PoE cascade power supply and Ethernet data exchange Support IEEE 802.3af/at standard power supply IP Camera able to cascade level 2 PoE Extender, connect to 3 IPC (power consumption <=8W), maxtransmission distance 300m</p>		3,400,000
82 PFM700	<p>*1 Channel HDMI Transmission Signal *1080P/1080I/720P/576P/576I/480P/480I Resolution Output Signal *60M (max)Transmission Distance *Input voltage DC5V *Use single UTP (CAT-5E and CAT-6) real-time transmit 1-ch HD video signal:support HDMI 1.3</p>		9,500,000
83 DHI-NKB1000	<p>Keyboard to Control : -Dahua High Speed Dome (all models) -Dahua Standalone DVR -Dahua Network High Speed Dome -Network Video Server Connection : RS485, RS422, USB, RS232 & Network Three Dimensional Joystick Control of PTZ Functions Preset Position, Auto Scan, Auto Pan, Auto Tour & Pattern Control On-Screen Menu & User Operation Procedure Tips Connect to SmartPSS via USB</p>		45,800,000

www.ATINEH.com
www.SHOP.ATINEH.com

تلفن تماس :
 02188398741 - 02188398742

WWW.T.me/IranCCTVShop
WWW.T.me/TehranDahua