

Items	Description	User Price	
Switches			
1	DS-3E0105P-E L2, Unmanaged, 4 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 58W	IRR 5,439,000	
2	DS-3E0109P-E L2, Unmanaged, 8 100M PoE port, 1 100M uplink port, 802.3af/at, PoE power budget 123W	IRR 14,171,000	
3	DS-3E0318P-E L2, Unmanaged, 16 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 230W	IRR 31,701,600	
4	DS-3E0326P-E L2, Unmanaged, 24 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 370W	IRR 47,937,200	
5	DS-3E0109P-E/M 1. L2, Unmanaged, 8 100M PoE port, 1 100M uplink port; 2. 802.3af/at self- adaptive, PoE power budget 58W; 3. Long distance transmission: max. 250m per port in "Extend" mode;4. VIP port: Port1-2, QoS priority;5. Lightning Protection: 6KV per port;6. Metal casing;	IRR 15,576,000	
6	DS-3E1310P-E L2, Web managed, 8 100M PoE port, 2 1000M combo port, 802.3af/at, PoE power budget 123W	IRR 17,582,400	
7	DS-3E1318P-E 802.3af/at PoE standard 8-core power supply technology, reducing the power circuit loss,Data monitor and control for the important ports, EXTEND mode available to extend the network cable transmission distance to 250 meters Buffer optimization to guarantee the video data transmission,VLAN configurable Port trunk, multicast and port mirroring,WEB management,Store-and-forward switching IEEE802.3, IEEE802.3u and IEEE802.3x network standards available MTBF (Mean Time Between Failure) ≥ 100,000 hours All-metal enclosed construction Table-mounted and rack-mouted design for convenient installation	IRR 58,340,000	
Cables			
9	DS-1LN6-UE-W UTP / CAT.6 / Indoor PVC / 23AWG, Full 305m, OFC / 0.530mm, CM Rating, Default Color: BLUE. TEST FLUKE	IRR 14,160,000	
10	DS-1LN6-UU UTP / CAT.6 / Indoor PVC / 23AWG Full 305m OFC / 0.565mm CM Rating Default Color: Orange	IRR 15,580,000	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس: 02188398741 - 02188398742

کانال های تلگرام شرکت

www.t.me/HIKVISIONMARKAZI











www.t.me/IRANCCTVSHOP

www.t.me/Tehranhikvision

وب سایت شرکت

www.atineh.com

www.shop.atineh.com

11	Brackets			
12	DS-1602ZJ	Wall mount , Hik white , Aluminum alloy , 97×182×305mm Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx DS-2DF7xxx-DS-2DF5xxx	IRR 3,730,000	
13	DS-1602ZJ-pole	Vertical pole mount, Hik white , Aluminum alloy , 117×194×310mm , Suitable for:DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx--DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 5,283,000	
14	DS-1605ZJ	Wall Mount bracket Parameters: Wall mounting bracket-Colour: Hik White-Feature: Suitable for speed dome cameras Dimensions: Ø171.7 x 158 x 228.6mm	***	
15	DS-1661ZJ	Pendent Mounting Bracket In/Outdoor,-Color: -Hik white-Material: -Aluminum alloy-Dimensin: -116.5×200mm-Weight: -600g	IRR 3,654,000	
16	DS-1662ZJ	Pendant mount , Hik white , Aluminum alloy , Ø116.5×500mm Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 4,194,000	
17	DS-1663ZJ	Ceiling mount , Hik white , Aluminum alloy , Ø116.5×57mm-Suitable for:-DS-2DE/AE4xxx DS-2DE/AE5xxx-DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 1,810,000	
18	DS-1693ZJ	Wall mount , Hik white , steel , 190×200×500mm , 5700g Suitable for PTZ positioner	IRR 3,000,000	
19	DS-1681ZJ	Ceiling mount , Hik white , Aluminum alloy -Suitable for:-DS-2DE/AE4xxx-DS-2DE/AE5xxx DS-2DE/AE7xxx-DS-2DF8xxx-DS-2DF6xxx-DS-2DF7xxx-DS-2DF5xxx	IRR 1,224,000	
20	DS-1273ZJ-135B	Wall mount , White , Aluminum alloy , with junction box , Ø135×182×120mm Suitable for: DS-2CD27xx	Call	
21	Keyboard			
22	DS-1100KI	Network Keyboard, 7" TFT touch screen, up to 256 units of DVR/Network Cameras/Speed Dome management, 1-ch HD 1080p video steam decoding, USB 2.0 interface for video backup	IRR 188,180,000	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس: 02188398741 - 02188398742

کانال های تلگرام شرکت

www.t.me/HIKVISIONMARKAZI











www.t.me/IRANCCTVSHOP

www.t.me/Tehranhikvision

وب سایت شرکت

www.atineh.com

www.shop.atineh.com

23	DS-1005KI	network Keyboard, USB interface, support Hikvision VMS, NVR, DVR	IRR 45,100,000	
24	Tester			
25	IPC-4300H	IPC-4300 IP camera tester 4.3 inch capacitive touch screen / ONVIF/ Hikvision, Dahua, etc more than 40 IP camera brands test /IP Camera view /12 V/2A power output / 5V 2A power bank / PoE power supply / HDMI output / WIFI	IRR 40,920,000	
26	DS-TT-X41T	7" LCD Screen, Support HDTV camera, Up the Coax, 12 VDC output	IRR 65,150,000	
27	Access Control			
28	DS-K2804	Four-door Access Controller, Accessible Card Reader: 4 Wiegand readers; Input interface: Door Magneticx4, Door Switchx4, Case Inputx4; Output interface: Door Switch Relayx4, Alarm Relayx4; Uplink Communication Interface: TCP/IP Network Interface; Storage with 10,000 cards information and 50,000 access control events	Call	
29	DS-K1100 Series Card Reader			
30	DS-K1101MK	Mifare 1 card, with keypad, Supports RS485 and Wiegand(W26/W34) protocol, Tamper-proof alarm, Dust-proof, IP 64, Applied for 120 Gang Box Only	Call	
31	DS-K1102M	Mifare 1 card, Supports RS485 and Wiegand(W26/W34) protocol, Tamper-proof alarm, Dust-proof, IP 64, Applied for 86 &120 Gang Box	Call	
32	DS-K1102MK	Mifare 1 card, with keypad, Supports RS485 and Wiegand(W26/W34) protocol, Tamper-proof alarm, Dust-proof, IP 64, Applied for 86 & 120 Gang Box	Call	
33	DS-K1104M	Mifare 1 card, Supports RS485 and Wiegand(W26/W34) protocol, Tamper-proof alarm, Dust-proof, Vandal Proof, IP 65, Applied for 86 & 120 Gang Box	Call	
34	DS-K1801M	Mifare 1 card, with keypad, Supports Wiegand(W26/W34) protocol, Dust-proof, IP 65	Call	
35	DS-K1801MK	Mifare 1 card, with keypad, Supports Wiegand(W26/W34) protocol, Dust-proof, IP 65	Call	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس: 02188398741 - 02188398742

کانال های تلگرام شرکت

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

www.t.me/Tehranhikvision

وب سایت شرکت

www.atineh.com

www.shop.atineh.com

36	Card Sender			
37	DS-K1F100-D8E	Plug-and-play USB with no-driver technology, Supports various card types (Mifare card, and EM card)	Call	
38	Pro Magnetic Lock			
39	DS-K4T100	Electric Bolt, Polished and Brushed Stainless Steel, Support Thrust of 800kg; Working Current: 900mA(Startup Current), 100mA (Standby), DC12V	Call	
40	DS-K4H250S	Single-door Magnetic Lock, supports static linear thrust of 250kg, Working Current: DC12V(500 mA) / 24VAC(250 mA)	Call	
41	DS-K4H250D	Double-door Magnetic Lock, supports static linear thrust of 2 x 250kg, Working Current: 12V/500mA×2 24V/250mA×2	Call	
42	Eco Magnetic Lock			
43	DS-K4H188S	Single-door Magnetic Lock, supports static linear thrust of 188kg, Working Current: DC12V(500 mA) / 24VAC(250 mA)	Call	
44	Pro Bracket for Magnetic Lock			
45	DS-K4T100-U2	Upper and lower U-bracket of Electric Bolt, for Using with DS-K4T100	Call	
46	DS-K4H250-LZ	LZ-Bracket of Magnetic Lock, for DS-K4H250S/D	Call	
47	DS-K4H250-U	U-Bracket of Magnetic Lock, for DS-K4H250S/D	Call	
48	Eco Bracket for Magnetic Lock			
49	DS-K4H188-LZ	LZ-Bracket of Magnetic Lock, for DS-K4H188S/D	Call	
50	Door release button			
51	DS-K7P01	aluminum alloy panel, metal button, Dimension(LxWxH): 86x86x20mm(3.39x3.39x0.79")	Call	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس: 02188398741 - 02188398742

کانال های تلگرام شرکت

www.t.me/HIKVISIONMARKAZI







www.t.me/IRANCCTVSHOP

www.t.me/Tehranhikvision

وب سایت شرکت

www.atineh.com

www.shop.atineh.com

52	DS-K1T8 Series			
53	DS-K1T803MF	LCD Display Standalone Access Control Terminal, Support Access Control and Time Attendance Function, Optical Fingerprint Module, 3,000 Fingerprints Capacity, Support Wi-Fi & TCP-IP, Stand-alone Operation, Multiple Authentication: Card(EM or Mifare-1 Card), Fingerprint, etc	Call	
54	DS-K1T200 Series			
55	DS-K1T200MF-C	2.8 inch LCD-TFT Screen IP-based Fingerprint Access Control Terminal, Built-in Mifare card reading module and 2 Megapixels camera, Max. 9500 fingerprints, Max. 100,000 cards No. and Max. 300,000 access control events records, TCP/IP, WIFI, RS-485, Wiegand Protocol communication supported, 17 Keys keyboard and doorbell, DC 12V/1A	Call	
56	DS-K1T105 Series			
57	DS-K1T105M-C	2.8 inch LCD-TFT Screen Standalone Access Control Terminal, Built-in Mifare card (EM card) reading module, 2 Megapixels camera, Max. 100,000 cards No., and Max. 300,000 access control events records, TCP/IP, WIFI, RS-485, Wiegand Protocol communication supported, 17 Keys keyboard and doorbell, DC 12V/1A	Call	
58	DS-K1T801M	Standalone Access Control Terminal, Built-in Mifare card reading module, Max. 3,000 cards No., TCP/IP, 12 Keys keyboard and doorbell, DC 12V/1A	Call	
59	DS-K1T802M	LCD Display Screen Standalone Access Control Terminal, Built-in Mifare card reading module, Max. 3,000 cards No., and Max. 10,000 access control events records, TCP/IP, 12 Keys keyboard and doorbell, DC 12V/1A	Call	
60	Card			
61	S50+TK4100	EM + Mifare	Call	
62	Adapters			
63	Power Adapter	12V/1A	IRR 238,000	

آتی نگر الکترونیک نماینده رسمی فروش محصولات هایک ویژن در ایران

شماره های تماس: 02188398741 - 02188398742

کانال های تلگرام شرکت

www.t.me/HIKVISIONMARKAZI

www.t.me/IRANCCTVSHOP

www.t.me/Tehranhikvision

وب سایت شرکت

www.atineh.com

www.shop.atineh.com