

لیست قیمت آذر ۹۸

TC-NCL214C

2MP IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens
20fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Perimeter)
Smart Defog
Max IR LEDs Length 20~30m, Smart IR
PoE, IP67



8,800,000

TC-NCL214C-NE

2MP IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens
20fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Perimeter)
Smart Defog
Max IR LEDs Length 30m, Smart IR
IP67



7,800,000

TC-C32GN

2MP IR Bullet Camera
1/2.9" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
Smart Defog
Max IR LEDs Length 50m, Smart IR
PoE, IP67



7,700,000

Super Starlight

TC-C32GP

2MP IR Bullet Camera
1/2.8" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.265/H.264/M-JPEG dual-stream encoding
Starlight Ultra Low Light 0.0008 lux
WDR(120db), Day/Night(ICR), 3DNR, HLC
Smart Defog
Max IR LEDs Length 50m, Smart IR
PoE, IP67



11,500,000

TC-NC214

2MP Mini IR Bullet Camera
1/2.7" 2Megapixel progressive CMOS
4mm fixed lens, Angle of View: 86.5°
25fps@2M(1920*1080)
H.264/MJPEG triple-stream encoding
WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Perimeter)
Micro SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
Cable Free Design
IP67, PoE



11,500,000

TC-C32JN

2MP IR Bullet Camera
1/2.9" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.265/H.264/M-JPEG dual-stream encoding
WDR(100db), Day/Night(ICR), 3DNR, HLC
Smart Defog
Max IR LEDs Length 50m, Smart IR
PoE, IP67



9,800,000

Starlight

TC-NCL214S

2MP Starlight IR Bullet Camera
1/2.8" 2Megapixel progressive CMOS
4mm fixed lens
30fps@2M (1920*1080)
S+265/H.264/M-JPEG dual-stream encoding
WDR(140db), Day/Night(ICR), 3DNR, HLC
VCA (Tripwire/Double
Tripwire/Perimeter/Object Abandon/Object
Lost/Running/Loitering/Parking/Crowd/Audio
Abnormal Detection/Video Abnormal
Detection, Face Detection)
Smart Defog
Max IR LEDs Length 20~30m, Smart IR
PoE, IP67



14,900,000

Starlight

TC-NC214S

2MP Starlight Mini IR Bullet Camera
1/2.8" 2Megapixel progressive CMOS
4mm fixed lens, Angle of View: 86.5°
25fps@2M (1920*1080)
S+265/H.264/MJPEG Encoding
Starlight Ultra Low Light 0.002lux
WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
Smart Defog, EIS, ROI
VCA (Tripwire/Double
Tripwire/Perimeter/Object Abandon/Object
Lost/Running/Loitering/Parking/Crowd/Audio
Abnormal Detection/Video Abnormal
Detection)
Micro SD card 128GB
Max IR LEDs Length 20~30m, Smart IR
Cable Free Design
IP67, PoE



18,200,000



Super Starlight**TC-NC294XG + Bracket**

2MP Super Starlight EXIR Bullet Camera
 1/2.7" 2Megapixel progressive CMOS
 4mm fixed lens, Angle of View:90°
 25fps@2M (1920*1080)
 S+265/H.264/MJPEG Encoding
 Starlight Ultra Low Light 0.0004 lux, IR Free Design
 WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double
 Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 1/1 Audio In, 1 Alarm In
 Micro SD card 128GB
 IP67, PoE

**30,500,000****Starlight****TC-NC514S**

5MP Starlight IR Bullet Camera
 1/2.8" 5Megapixel progressive CMOS
 4mm fixed lens
 20fps@5M (2560*1920)
 S+265/H.264/M-JPEG dual-stream encoding
 WDR(120db), Day/Night(ICR), 3DNR, HLC
 VCA (Tripwire/Double
 Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Smart Defog
 Micro SD card 128GB
 Max IR LEDs Length 20~30m, Smart IR
 PoE, IP67

**20,600,000****TC-NC414**

4MP H.265 Mini IR Bullet Camera
 1/3" 4Megapixel progressive CMOS
 4mm fixed lens, Angle of View: 82.7°
 25fps@4M(2560x1440)
 S+265/H.264 triple-stream encoding
 WDR(120dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double
 Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Mirco SD card 128GB
 Max IR LEDs Length 20~30m, Smart IR
 Cable Free Design
 IP67, PoE

**16,900,000****TC-NC23M**

2MP IR Bullet Camera
 1/2.7" 2Megapixel progressive CMOS
 2.8-12mm Motorized lens, Angle of View: 94.7°~36.9°
 25fps@2M(1920x1080)
 S+265/H.264 triple-stream encoding
 WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double
 Tripwire/Perimeter/alarm times count)
 1/1 Audio In/Out, 1/0 Alarm In/Out
 Mirco SD card 128GB
 Max IR LEDs Length 30~50m, Smart IR
 IP67, PoE

**22,500,000****Starlight****TC-NC23MS**

2MP Starlight Motorized IR Bullet Camera
 1/2.8" 2Megapixel progressive CMOS
 2.8-12mm Motorized lens, Angle of View:92°~38.6°
 25fps@2M (1920*1080)
 S+265/H.264/MJPEG triple-stream encoding
 Starlight Ultra Low Light 0.002lux
 WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double
 Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 1/1 Audio in/Out, 2/1 Alarm in/Out
 RS485, USB, Micro SD card 128GB
 Max IR LEDs Length 30-50m, Smart IR
 IP67, PoE

**25,800,000****TC-NC43M**

4MP H.265 Motorized IR Bullet Camera
 1/3" 4Megapixel progressive CMOS
 2.8-12mm Motorized lens, Angle of View:90.8°~32.1°
 25fps@4M(2560X1440)
 S+265/H.264/MJPEG triple-stream encoding
 WDR(120dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double
 Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 1/1 Audio in/Out, 2/1 Audio in/Out
 RS485, USB, Micro SD card 128GB
 Max IR LEDs Length 30~50m, Smart IR
 IP67, PoE

**29,200,000**

TC-NCL222C

2MP IR Dome Camera
 1/2.7" 2Megapixel progressive CMOS
 2.8mm fixed lens
 20fps@2M (1920*1080)
 S+265/H.264/M-JPEG dual-stream encoding
 WDR(100db), Day/Night(ICR), 3DNR, HLC
 VCA (Tripwire/Perimeter)
 Smart Defog
 Max IR LEDs Length 20~30m, Smart IR
 PoE, IP66

**8,800,000****TC-NCL222C-NE**

2MP IR Dome Camera
 1/2.7" 2Megapixel progressive CMOS
 2.8mm fixed lens
 20fps@2M (1920*1080)
 S+265/H.264/M-JPEG dual-stream encoding
 WDR(100db), Day/Night(ICR), 3DNR, HLC
 VCA (Tripwire/Perimeter)
 Smart Defog
 Max IR LEDs Length 20~30m, Smart IR
 IP66

**7,800,000****TC-C32HN**

2MP IR Bullet Camera
 1/2.9" 2Megapixel progressive CMOS
 2.8mm fixed lens
 30fps@2M (1920*1080)
 S+265/H.265/H.264/M-JPEG dual-stream encoding
 WDR(100db), Day/Night(ICR), 3DNR, HLC
 Smart Defog
 Max IR LEDs Length 30m, Smart IR
 PoE, IP66

**7,700,000****TC-C32KN**

2MP Vandal Proof Mini IR Dome Camera
 1/2.7" 2Megapixel progressive CMOS
 2.8mm Fixed lens, Angle of View: 109.3°
 30fps@2M(1920X1080)
 S+265/H.264/MJPEG Triple-stream encoding
 WDR(100dB), Day/Night(ICR), 3DNR, HLC, BLC
 Smart Defog, ROI
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Video Abnormal Detection)
 Built in Mic, 1CH Audio In, Micro SD card 128GB
 Max IR LEDs Length 20m, Smart IR
 Cable Free Design
 IP66,IK10, PoE

**11,500,000****TC-NC24M**

2MP Vandal Proof IR Dome Camera
 1/2.7" 2Megapixel progressive CMOS
 2.8-12mm Motorized lens, Angle of View: 101° ~38°
 25fps@2M(1920x1080)
 S+265/H.264 triple-stream encoding
 WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double Tripwire/Perimeter/Alarm times count)
 1/1 Audio In/Out, 2/2 Alarm In/Out
 Built-In Mic
 Micro SD card 128GB
 Max IR LEDs Length 20~30m, Smart IR
 IP66, IK10, PoE

**22,500,000****TC-NC252**

2MP Vandal proof Mini IR Dome Camera
 1/2.7" 2Megapixel progressive CMOS
 2.8mm Fixed lens
 25fps@2M(1920X1080)
 H.264/MJPEG Triple-stream encoding
 WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
 VCA (Tripwire/Perimeter)
 Smart Defog, EIS, ROI
 Built in Mic
 1CH Audio In
 Micro SD card 128GB
 Max IR LEDs Length 20m, Smart IR
 Cable Free Design
 IP66, IK10, PoE

**11,500,000****Starlight****TC-NC252S**

2MP Starlight Vandal Proof Mini IR Dome Camera
 1/2.8" 2Megapixel progressive CMOS
 2.8mm Fixed lens, Angle of View: 95.2°
 25fps@2M(1920X1080)
 S+265/H.264/MJPEG Triple-stream encoding
 WDR(140dB), Day/Night(ICR), 3DNR, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Built in Mic
 1CH Audio In
 Micro SD card 128GB
 Max IR LEDs Length 20m, Smart IR
 Cable Free Design
 IP66,IK10, PoE

**18,200,000****Starlight****TC-NC552S**

5MP Starlight Vandalproof Mini IR Dome Camera
 1/2.8" 5Megapixel progressive CMOS
 2.8mm Fixed lens
 20fps@5M()
 S+265/H.264/M-JPEG triple-stream encoding
 WDR(100dB), Day/Night(ICR), 3DNR, AGC, HLC
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Smart Defog, EIS, ROI
 Built in Mic
 1CH Audio In
 Micro SD card 128GB
 Max IR LEDs Length 20m, Smart IR
 Cable Free Design
 IP66, IK10, PoE

**20,600,000**

TC-NC44M

4MP H.265 Vandal proof Motorized IR Dome Camera
 1/3" 4Megapixel progressive CMOS
 2.8-12mm Motorized lens, Angle of View: 90.8°~32.1°
 25fps@4M(2560X1440)
 S+265/H.264/MJPEG Triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Smart Defog, EIS, ROI
 Built in Mic
 1/1CH Audio In/Out, 2/1 Alarm In/Out
 Mirco SD card 128GB
 Max IR LEDs Length 30m, Smart IR
 IP67, IK10, PoE



29,200,000

TC-NC452

4MP H.265 Vandal proof Mini IR Dome Camera
 1/3" 4Megapixel progressive CMOS
 2.8mm Fixed lens, Angle of View: 99°
 25fps@4M(2560X1440)
 S+265/H.264/MJPEG Triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, HLC
 Smart Defog, EIS, ROI
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Built in Mic
 1CH Audio In
 Mirco SD card 128GB
 Max IR LEDs Length 20m, Smart IR
 Cable Free Design
 IP67, IK10, PoE



16,900,000

Starlight

TC-NH6233I-CP

2MP 33x Starlight IR PTZ
 1/2.8" 2Megapixel CMOS
 S+265/H.264/MJPEG Triple-streams encoding
 Max.25fps@2M (1920*1080)
 4.6mm~152mm 33x optical zoom
 Starlight Ultra Low Light 0.002lux
 Max 400°/s pan speed, 16~90° Tilt Angle, 360° endless pan rotation
 WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB
 Support Defog, ROI
 VCA(Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Up to 500 presets,8 Cruise,8 pattern
 Built-In Mic
 Alarm 1/1 in/out
 Audio 1/1 in/out
 Mirco SD card 128GB
 IR Distance up to 200m
 IP66



100,300,000

Starlight

TC-NH6220IE-CP

2MP 20x Starlight POE IR PTZ
 1/2.8" 2Megapixel CMOS
 S+265/H.264/MJPEG Triple-streams encoding
 Max.25fps@2M(1920*1080)
 5.2mm~98mm 20x optical zoom
 Starlight Ultra Low Light 0.002lux
 Max 400°/s pan speed, 16~90° Tilt Angle, 360° endless pan rotation
 WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB, Defog
 VCA(Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Up to 500 presets,8 Cruise,8 pattern, Auto scan, Auto Pan
 Built in Mic
 Alarm 1/1 in/out
 Audio 1/1 in/out
 Mirco SD card 128GB
 IR Distance up to 100m
 IP66, PoE+



82,000,000



Starlight**TC-NH3204IE**

2MP 4x Starlight Mini EW IR POE PTZ
 1/2.8" 2Megapixel CMOS
 S+265/H.264/MJPEG Triple-streams encoding
 Max.25fps@2M(1920*1080)
 2.8mm~12mm 4x optical zoom
 Starlight Ultra Low Light 0.002lux
 Max 60°/s pan speed,2~90° Tilt Angle,
 355° endless pan rotation
 WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB
 Support Defog, ROI
 *Early Warning (EW)
 IR LED + White Light + Speaker
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Early Warning/Crowd/Audio Abnormal Detection/Video Abnormal Detection)
 Up to 500 presets,8 Cruise,8 pattern
 Built-In Mic, Built-In Speaker
 Alarm 2/1 in/out, Audio 1/0 in/out
 Mirco SD card 128GB
 IR Distance up to 50m
 IP65, PoE

**45,600,000****Super Starlight****TC-NH6244ISA-G**

2MP 44x Super Starlight AEW IR PTZ
 1/1.8" 2Megapixel CMOS
 H.265/H.264/MJPEG Triple-streams encoding
 Max.60fps@2M(1920*1080)
 4.9mm~216mm 44x optical zoom
 Super Starlight Ultra Low Light 0.0004 lux
 Max 400°/s pan speed, 16~90° Tilt Angle,
 360° endless pan rotation
 WDR(140dB), ICR, 3D-DNR, HLC, BLC, AGC, AWB
 Support Defog, ROI, Wiper
 *Auto Tracking Early Warning (AEW)
 IR LED + White Light + Green Laser
 VCA (Tripwire/Double Tripwire/Perimeter/Object Abandon/Object Lost/Running/Loitering/Parking/Early Warning/Crowd/Audio Abnormal Detection/Video Abnormal Detection/Face Detection/People Counting/on duty Detection/Auto Tracking)
 Up to 500 presets,8 Cruise,8 pattern
 Built-In Mic, Built-In Speaker
 Alarm 8/2 in/out, Audio 1/1 in/out
 RS485
 Mirco SD card 128GB
 IR Distance up to 200m
 IP66

**Call****TC-NR5005M7-S1-C**

5 CH 1HDD 1U NVR
 5 IP camera input
 S+265/H.264 codec decoding
 Max 40/40 Mbps incoming/Outgoing bandwidth
 Up to 5M Resolution Recording
 Support 5-ch Intelligent Analysis Process(VCA)
 Support N+1 Hot Standby Function
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 1920x1080
 Support 1 SATA HDD up to 8TB
 2 USB Ports
 1*10/100 Mbps Network Card
 P2P support

**10,500,000****TC-NR5010M7-S1-C**

10CH 1HDD 1U NVR
 10 channel IP camera input
 S+265/H.264 codec decoding
 Max 40/40 Mbps incoming/Outgoing bandwidth
 Up to 5M Resolution for Preview
 Support 10-ch Intelligent Analysis Process(VCA)
 Support N+1 Hot Standby Function
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 1920x1080
 Support 1 SATA HDD up to 8TB
 2 USB Ports
 1*10/100 Mbps Network Card
 P2P support

**12,700,000****TC-R3110**

10CH 1HDD 1U NVR
 10 channel IP camera input
 S+265/H.264 codec decoding
 Max 40/40 Mbps incoming/Outgoing bandwidth
 Up to 5MP Resolution Recording
 Support 10-ch Intelligent Analysis Process(VCA)
 Plug in free
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 1920x1080
 Support 1 SATA HDD up to 10TB
 2 USB Ports
 1*10/100 Mbps Network Card
 P2P support

**12,700,000****TC-NR5010M7-S1**

10CH 1HDD 1U NVR
 10 channel IP camera input
 S+265/H.264 codec decoding
 Max 60/60 Mbps incoming/Outgoing bandwidth
 Up to 4K Resolution for Preview
 Support 10-ch Intelligent Analysis Process(VCA)
 Support N+1 Hot Standby Function
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 4K
 Support 1 SATA HDD up to 8TB
 2 USB Ports, 1Alarm Output
 1*10/100/1000 Mbps Network Card
 P2P support

**15,800,000**

TC-NR5020M7-S1

20CH 1HDD 1U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 60/60 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 1 SATA HDD up to 8TB
2 USB Ports, 1 Alarm Output
1*10/100/1000 Mbps Network Card
P2P support



17,800,000

TC-R3120

20CH 1HDD 1U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 80/80 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 1 SATA HDD up to 10TB
2 USB Ports
1*10/100 Mbps Network Card
P2P support



17,800,000

TC-NR5020M7-S2-C

20CH 2HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 80/80 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 2 SATA HDD up to 16TB
2 USB Ports, 1 Alarm Output
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100 Mbps Network Card
P2P support



26,600,000

TC-NR5020M7-S2

20CH 2HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 2 SATA HDD up to 16TB
2 USB Ports, 1 Alarm Output
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100/1000 Mbps Network Card
P2P support



40,000,000

TC-R3220

20CH 2HDD 1U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 80/80 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution Recording
Support 20-ch Intelligent Analysis Process(VCA)
Plug in free
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 2 SATA HDD (10TB each SATA)
2 USB Ports, 1*RS-485
1/1CH Audio In/Out(Two way talk)
0/1CH Alarm In/Out
1*10/100 Mbps Network Card
P2P support



26,600,000

TC-NR5020M7-S4

20CH 4HDD 1.5U NVR
20 channel IP camera input
S+265/H.264 codec decoding
Max 400/200 Mbps incoming/Outgoing bandwidth
Up to 4K Resolution for Preview
Support 20-ch Intelligent Analysis Process(VCA)
Support N+1 Hot Standby Function
Support ANR Function
HDMI/VGA simultaneous video output
Max output Resolution 4K
Support 4 SATA HDD up to 32TB
2 USB Ports, 16/4 Alarm In/Out
1*RS-485, 1*RS-232
1CH Audio In (Two way talk)
1CH Audio Out
1*10/100/1000 Mbps Network Card
P2P support



53,800,000



TC-R3420

20CH 4HDD 1.5U NVR
 20 channel IP camera input
 S+265/H.264 codec decoding
 Max 400/200 Mbps incoming/Outgoing bandwidth
 Up to 4K Resolution for Preview
 Support 20-ch Intelligent Analysis Process(VCA)
 Plug in free
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 4K
 Support 4 SATA HDD (10TB each SATA)
 2 USB Ports, 16/4 Alarm In/Out
 2*RS-485, 1*RS-232
 1/1CH Audio In/Out (Two way talk)
 2*10/100/1000 Mbps Network Card
 P2P support



53,800,000

TC-R3440

40CH 4HDD 1.5U NVR
 40 channel IP camera input
 S+265/H.264 codec decoding
 Max 400/200 Mbps incoming/Outgoing bandwidth
 Up to 4K Resolution for Preview
 Support 40-ch Intelligent Analysis Process(VCA)
 Plug in free
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 4K
 Support 4 SATA HDD(10TB each SATA)
 2 USB Ports, 1*RS-485, 1*RS-232
 16/4 Alarm In/Out
 1/1CH Audio In/Out (Two way talk)
 2*10/100/1000 Mbps Network Card
 P2P support



67,500,000

TC-NR5040M7-S4

40CH 4HDD 1.5U NVR
 40 channel IP camera input
 S+265/H.264 codec decoding
 Max 400/200 Mbps incoming/Outgoing bandwidth
 Up to 4K Resolution for Preview
 Support 40-ch Intelligent Analysis Process(VCA)
 Support N+1 Hot Standby Function
 Support ANR Function
 HDMI/VGA simultaneous video output
 Max output Resolution 4K
 Support 4 SATA HDD up to 32TB
 2 USB Ports
 16/4 Alarm In/Out
 1*RS-485, 1*RS-232
 1CH Audio In (Two way talk)
 1CH Audio Out
 1*10/100/1000 Mbps Network Card
 P2P support



67,500,000

TC-NR5040M7-S8

4K 40CH 8HDD 2U NVR
 40 channel IP camera input
 S+265/H.264 codec decoding
 Max 400/200 Mbps incoming/Outgoing bandwidth
 Up to 4K Resolution for Preview
 Support 40-ch Intelligent Analysis Process(VCA)
 Support N+M Hot Standby Function
 Support ANR Function
 2*HDMI/2*VGA simultaneous video output
 Max output Resolution 4K
 Support 8 SATA HDD up to 64TB
 Support eSATA Only for Backup
 Support JBOD, RAID0, RAID1, RAID5, RAID6, RAID10
 3 USB Ports
 16/4 Alarm In/Out
 2*RS-485, 1*RS-232
 1CH Audio In (Two way talk)
 2CH Audio Out
 1*10/100/1000 Mbps Network Card
 P2P support



105,400,000

TC-NR5080M7-S8

4K 80CH 8HDD 2U NVR
 80 channel IP camera input
 S+265/H.264 codec decoding
 Max 400/200 Mbps incoming/Outgoing bandwidth
 Up to 4K Resolution for Preview
 Support 80-ch Intelligent Analysis Process(VCA)
 Support N+1 Hot Standby Function
 Support ANR Function
 2*HDMI/2*VGA simultaneous video output
 Max output Resolution 4K
 Support 8 SATA HDD up to 64TB
 Support eSATA Only for Backup
 Support JBOD, RAID0, RAID1, RAID5, RAID6, RAID10
 3 USB Ports
 16/4 Alarm In/Out
 2*RS-485, 1*RS-232
 1CH Audio In (Two way talk)
 2CH Audio Out
 2*10/100/1000 Mbps Network Card
 P2P support



146,000,000

